

Liftcrane Jib Capacities

Jib No. 134 on
 Boom No. B10:82A
 83 730 kg Crane Counterweight
 19 960 kg Carbody Counterweight
 Crawler Machine on a Barge
 0 Degree thru 3 Degree Static Machine List
 No Travel - 360 Degree Rating

MLC250 SERIES 2



LIFTING CAPACITIES: Chart supplements Boom Capacity chart **No. 9895-AM**. Lifting capacities are for a crawler machine when operating on a barge. Machine shall be positively secured to prevent shifting. Lifting capacities for various boom lengths, jib lengths, and jib operating radii are for freely suspended loads and may be based on percent of static tipping or strength of structural components. Capacities must be reduced by applicable deducts.

Weight of all load blocks, hooks, weight ball, slings, hoist lines, etc., beneath boom and jib point sheaves is considered part of load. Boom and jib are not to be lowered beyond radii where combined weights are greater than rated capacity. Where no capacity is shown, operation is not intended or approved.

OPERATING CONDITIONS: Machine to operate on a firm and uniformly supporting surface with gantry up and machine list not to exceed degrees noted. Refer to Boom Rigging **No. 80137888**, Jib Rigging **No. 80117860**, Wire Rope Specifications chart **No. 9916-A**, Counterweight Arrangements chart **No. 9893-A**, and Wind Conditions chart **No. 9917-A**. Crane operator judgment must be used to allow for dynamic load effects of swinging, hoisting or lowering, wind conditions, as well as adverse operating conditions and physical machine depreciation. Refer to the Operator Manual for operating guidelines.



OPERATING RADIUS: Operating radius is horizontal distance from axis of rotation at barge deck to center of vertical hoist line or load block.



BOOM ANGLE: Boom angle in degrees (°) is angle between horizontal and centerline of boom butt and inserts, and is an indication of operating radius. In all cases, operating radius shall govern capacity.



JIB POINT ELEVATION: Jib point elevation is vertical distance from barge deck to centerline of jib point shaft.

MACHINE EQUIPMENT: Machine equipped with 8 585 mm crawlers, 1 200 mm or 1 524 mm treads, 3 124 mm retractable gantry, 9 144 mm live mast, 20 part boom hoist reeving, and boom support straps.

Refer to Tables 1 and 2 for raising ability with the maximum weight of all load blocks, hooks, weight ball, slings, and hoist lines beneath boom and jib point sheaves. For block weights shown with #, load blocks, hooks, weight ball, and slings must remain on barge deck until combined weights are within rated capacity of chart. Raising is not permitted in shaded areas of table.

Caution: Combined weight beneath boom and jib point sheaves must not exceed block weight shown. Total weight beneath jib point must not exceed 1 360 kg.

Table 1

Over End or Side of Crawlers													
Boom Length (m)	Maximum Number of Lower Boom Point Sheaves	Jib No. 134											
		9,1 m		12,2 m		15,2 m		18,3 m		21,3 m		24,4 m	
		Block Weight (kg)											
		0 °	1° - 3°	0 °	1° - 3°	0 °	1° - 3°	0 °	1° - 3°	0 °	1° - 3°	0 °	1° - 3°
27,4 - 42,7	8	5 875	5 875	5 875	5 875	5 875	5 875	5 875	5 875	5 875	5 700	4 850	4 625
45,7	8	5 875	5 875	5 875	5 875	5 875	5 875	5 875	5 475	5 250	4 800	4 800	4 375
48,8	8	5 875	5 875	5 875	5 575	5 650	5 075	5 150	4 650	4 475	4 075	4 125	3 650
51,8	8	5 700	5 125	5 200	4 650	4 750	4 250	4 350	3 850	4 025	3 525	3 400	2 975
54,9	8	4 800	4 200	4 350	3 850	3 975	3 475	3 575	3 125	3 300	2 850	2 750	2 350
57,9	8	3 700	3 300	3 350	2 975	3 025	2 625	2 675	2 250	2 350	1 975	1 975	1 625
61,0	8	2 675	2 300	2 350	1 975	1 975	1 625	1 625	#	1 350	#	#	#
64,0	8	1 675	#	1 350	#	#	#	#	#	#	#	#	#
67,1	8	#	#	#	#	#	#	#		#		#	
70,1	8	#		#		#							
73,2	8												
76,2	2	Raising Not Permitted											
79,2	2												

Raising Not Permitted







Table 2

Over End of Blocked Crawlers													
Boom Length (m)	Maximum Number of Lower Boom Point Sheaves	Jib No. 134											
		9,1 m		12,2 m		15,2 m		18,3 m		21,3 m		24,4 m	
		Block Weight (kg)											
		0 °	1° - 3°	0 °	1° - 3°	0 °	1° - 3°	0 °	1° - 3°	0 °	1° - 3°	0 °	1° - 3°
27,4 - 42,7	8	5 875	5 875	5 875	5 875	5 875	5 875	5 875	5 875	5 875	5 700	4 850	4 625
45,7	8	5 875	5 875	5 875	5 875	5 875	5 875	5 875	5 475	5 250	4 800	4 800	4 375
48,8	8	5 875	5 875	5 875	5 575	5 650	5 075	5 150	4 650	4 475	4 075	4 125	3 650
51,8	8	5 700	5 125	5 200	4 650	4 750	4 250	4 350	3 850	4 025	3 525	3 400	2 975
54,9	8	4 800	4 200	4 350	3 850	3 975	3 475	3 575	3 125	3 300	2 850	2 750	2 350
57,9	8	3 850	3 350	3 475	2 975	3 125	2 675	2 800	2 350	2 575	2 175	2 250	1 850
61,0	8	3 075	2 575	2 750	2 250	2 425	1 975	2 125	1 850	1 950	1 800	1 850	1 800
64,0	8	2 300	1 850	2 250	1 800	1 975	1 800	1 950	1 800	1 900	1 800	1 850	1 700
67,1	8	1 800	1 800	1 800	1 800	1 800	1 700	1 700	1 400	1 450	#	#	#
70,1	8	1 625	#	#	#	#	#	#	#	#	#	#	#
73,2	8	#	#	#	#	#	#	#	#	#	#	#	#
76,2	2	#	#	#	#	#	#	#	#	#	#	#	#
79,2	2	#	#	#	#	#	#	#	#	#	#	#	#
Raising Not Permitted													

Raising Not Permitted

Warning: Crane must remain in-line with crawlers when raising over end of blocked crawlers until operating radius is within 360 degree chart. Crane tipping or structural damage can occur.


Explanation of Symbols

	Jib No. 134 + Boom No. B10:82A
	Crane Counterweight + Carbody Counterweight
	360 Degree Rating
	Boom Length
	Jib Length
	Jib Offset Angle
	Operating Radius (see page 1)
	Boom Angle (see page 1)
	Jib Point Elevation (see page 1)
	Machine List
	Lifting Capacities (see page 1)

MLC250 S-2








83 730 kg
+
19 960 kg





	5°							15°						
	m	°	m	0° kg	1° kg	2° kg	3° kg	°	m	0° kg	1° kg	2° kg	3° kg	m
9,1	79,2	38,3	26 700	26 000						26 700	24 000			9,1
10,0	77,8	38,1	26 700	25 700						26 700	23 600			10,0
10,7	76,0	37,9	26 700	25 400	22 400	20 200		79,3	37,7	26 700	24 000			10,7
12,0	74,6	37,5	26 700	24 900	22 100	19 900		77,1	37,3	26 700	23 600			12,0
12,2	73,7	37,5	26 700	24 800	22 000	19 800		76,6	37,2	26 700	23 600	21 100	19 100	12,2
13,7	71,5	37,0	26 700	24 300	21 600	19 500		73,6	36,7	26 300	23 200	20 800	18 800	13,7
14,0	71,3	36,9	26 700	24 200	21 500	19 400		73,7	36,6	26 200	23 100	20 700	18 800	14,0
16,0	67,9	36,1	26 700	23 600	21 100	19 000		70,4	35,8	25 600	22 700	20 400	18 500	16,0
18,0	64,4	35,2	26 200	23 000	20 600	18 700		66,9	34,9	25 000	22 300	20 100	18 300	18,0
20,0	60,9	34,1	25 500	22 500	20 200	18 400		63,3	33,8	24 500	21 900	19 800	18 100	20,0
22,0	57,2	32,8	24 900	22 100	19 900	18 100		59,5	32,5	23 900	21 600	19 600	17 900	22,0
24,0	53,3	31,4	24 400	21 700	19 600	17 900		55,6	31,1	22 500	21 400	19 400	17 800	24,0
26,0	49,2	29,7	23 900	21 300	19 300	17 600		51,5	29,4	21 200	21 000	19 300	17 700	26,0
28,0	44,8	27,7	22 900	21 100	19 100	17 500		47,1	27,4	20 000	19 900	19 200	17 600	28,0
30,0	40,1	25,5	21 300	20 600	18 900	17 300		42,3	25,1	19 000	19 000	18 800	17 600	30,0
30,5	38,6	24,8	20 900	20 300	18 900	17 300		40,6	24,4	18 800	18 700	18 600	17 600	30,5
32,0	34,8	22,7	19 700	19 200	18 700	17 300		36,9	22,3	18 100	18 100	18 100	17 600	32,0
33,5	29,0	19,9	18 400	18 000	17 500	16 700		32,1	19,7	17 500	17 500	17 500	17 200	33,5
35,1	24,8	17,1	17 200	16 800	16 400	16 100								35,1

MLC250 S-2





	 25°							
	 m	 °	 m					
				0°  kg	1°  kg	2°  kg	3°  kg	
9,1							9,1	
10,0							10,0	
10,7							10,7	
12,0							12,0	
12,2							12,2	
	79,3	36,7	22 100	21 600				
13,7	76,5	36,2	20 900	20 500	20 000	18 300	13,7	
14,0	76,2	36,1	20 700	20 300	19 900	18 200	14,0	
16,0	72,8	35,3	19 400	19 000	18 700	18 100	16,0	
18,0	69,2	34,3	18 200	17 900	17 600	17 400	18,0	
20,0	65,6	33,2	17 200	17 000	16 700	16 500	20,0	
22,0	61,8	31,9	16 300	16 100	16 000	15 800	22,0	
24,0	57,8	30,4	15 600	15 400	15 300	15 100	24,0	
26,0	53,5	28,7	14 900	14 800	14 700	14 600	26,0	
28,0	49,0	26,7	14 400	14 300	14 200	14 100	28,0	
30,0	44,0	24,3	13 900	13 800	13 800	13 700	30,0	
30,5	42,7	23,7	13 800	13 800	13 700	13 600	30,5	
32,0							32,0	
33,5							33,5	
35,1							35,1	

MLC250 S-2








83 730 kg
+
19 960 kg





			5°				15°						
			0°	1°	2°	3°	0°	1°	2°	3°			
			kg	kg	kg	kg	kg	kg	kg	kg			
9,1	80,0	41,4	26 700								9,1		
10,0	78,8	41,2	26 700								10,0		
10,7	77,0	41,0	26 700	25 500	22 600	20 200	80,1	40,8	26 700		10,7		
12,0	75,8	40,7	26 700	25 100	22 200	19 900	78,1	40,5	26 700		12,0		
12,2	74,7	40,6	26 700	25 000	22 100	19 900	77,7	40,4	26 700	23 700	12,2		
13,7	72,5	40,2	26 700	24 600	21 800	19 600	75,5	40,0	26 400	23 300	13,7		
14,0	72,8	40,1	26 700	24 500	21 700	19 600	75,1	39,9	26 400	23 300	14,0		
16,0	69,7	39,4	26 700	23 900	21 200	19 200	72,0	39,1	25 800	22 800	16,0		
18,0	66,6	38,5	26 500	23 300	20 800	18 800	68,8	38,3	25 300	22 500	18,0		
20,0	63,3	37,5	25 900	22 800	20 400	18 500	65,6	37,3	24 800	22 100	20,0		
22,0	60,0	36,4	25 300	22 400	20 100	18 200	62,2	36,2	24 400	21 800	22,0		
24,0	56,6	35,1	24 700	21 900	19 800	18 000	58,7	34,9	23 600	21 500	24,0		
26,0	53,0	33,7	24 300	21 600	19 500	17 800	55,1	33,4	22 300	21 300	26,0		
28,0	49,2	32,0	23 400	21 300	19 300	17 600	51,3	31,7	21 100	20 900	28,0		
30,0	45,2	30,0	21 300	20 500	19 100	17 400	47,2	29,7	20 100	20 000	30,0		
32,0	40,8	27,8	19 400	18 800	18 200	17 300	42,8	27,5	19 100	19 000	32,0		
36,0	30,7	22,0	16 200	15 800	15 400	15 100	32,5	21,6	16 300	15 900	36,0		
36,6	28,1	20,8	15 800	15 500	15 100	14 700	30,7	20,5	15 900	15 500	36,6		
38,1	23,7	17,7	14 800	14 500	14 200	13 900					38,1		


MLC250 S-2





	 25°							
	 m	 °	 m					
				0°  kg	1°  kg	2°  kg	3°  kg	
9,1								9,1
10,0								10,0
10,7								10,7
12,0								12,0
12,2	80,2	39,9	22 600					12,2
13,7	77,5	39,4	21 400	20 900	20 100	18 300	13,7	
14,0	77,4	39,3	21 200	20 800	20 000	18 200	14,0	
16,0	74,2	38,6	19 900	19 500	19 200	18 100	16,0	
18,0	71,0	37,7	18 800	18 400	18 100	17 800	18,0	
20,0	67,7	36,7	17 800	17 500	17 200	17 000	20,0	
22,0	64,3	35,6	16 900	16 700	16 500	16 200	22,0	
24,0	60,8	34,2	16 100	15 900	15 800	15 600	24,0	
26,0	57,1	32,7	15 500	15 300	15 200	15 000	26,0	
28,0	53,2	31,0	14 900	14 800	14 600	14 500	28,0	
30,0	49,0	29,0	14 400	14 300	14 200	14 100	30,0	
32,0	44,5	26,7	14 000	13 900	13 800	13 700	32,0	
36,0							36,0	
36,6							36,6	
38,1							38,1	


MLC250 S-2





	 25°						
	 m	 m					
			 0° kg	 1° kg	 2° kg	 3° kg	
9,1							9,1
10,0							10,0
10,7							10,7
12,0							12,0
12,2	80,9	43,0	23 000				12,2
13,7	78,3	42,6	21 900	21 400	20 100		13,7
14,0	78,3	42,5	21 700	21 200	20 000		14,0
15,2	76,2	42,1	20 900	20 500	19 700	18 100	15,2
16,0	75,4	41,8	20 400	20 000	19 600	18 100	16,0
18,0	72,5	41,0	19 300	18 900	18 600	18 000	18,0
20,0	69,5	40,1	18 300	18 000	17 700	17 400	20,0
22,0	66,4	39,1	17 400	17 200	16 900	16 700	22,0
24,0	63,2	37,9	16 700	16 400	16 200	16 000	24,0
26,0	59,9	36,5	16 000	15 800	15 600	15 400	26,0
28,0	56,5	35,0	15 400	15 200	15 100	14 900	28,0
30,0	52,8	33,3	14 900	14 700	14 600	14 500	30,0
32,0	49,0	31,3	14 400	14 300	14 200	14 100	32,0
35,1	42,5	27,7	13 800	13 700	13 700	13 600	35,1
36,0							36,0
38,1							38,1
40,0							40,0
41,2							41,2

MLC250 S-2



		 25°							
		 m	 °	 m					
					 0° kg	 1° kg	 2° kg		 3° kg
10,7								10,7	
12,0								12,0	
12,2								12,2	
13,7	79,5	45,8	22 200	21 700				13,7	
14,0	79,1	45,7	22 100	21 600				14,0	
15,2	77,2	45,3	21 300	20 900	19 900	18 100	15,2		
16,0	76,5	45,1	20 800	20 400	19 700	18 100	16,0		
18,0	73,7	44,3	19 700	19 300	19 000	18 000	18,0		
20,0	71,0	43,5	18 700	18 400	18 100	17 800	20,0		
22,0	68,2	42,5	17 900	17 600	17 400	17 100	22,0		
24,0	65,3	41,4	17 100	16 900	16 700	16 400	24,0		
26,0	62,3	40,2	16 400	16 200	16 000	15 900	26,0		
28,0	59,2	38,8	15 800	15 700	15 500	15 300	28,0		
30,0	55,9	37,3	15 300	15 100	15 000	14 900	30,0		
32,0	52,6	35,5	14 800	14 700	14 600	14 400	32,0		
36,0	45,2	31,3	14 000	13 900	13 900	13 800	36,0		
36,6	44,0	30,6	13 900	13 800	13 800	13 700	36,6		
40,0							40,0		
41,2							41,2		
44,0							44,0		
44,2							44,2		

MLC250 S-2





25°							
 m	 °	 m	 0° kg	 1° kg	 2° kg	 3° kg	 m
10,7							10,7
12,0							12,0
12,2							12,2
13,7	80,2	48,9	22 600				13,7
14,0	79,8	48,8	22 400				14,0
15,2	77,8	48,5	21 700	21 200	19 900		15,2
16,0	77,4	48,3	21 200	20 800	19 800		16,0
16,8	75,8	48,0	20 800	20 400	19 600	18 000	16,8
18,0	74,8	47,6	20 100	19 700	19 300	18 000	18,0
20,0	72,3	46,8	19 200	18 800	18 500	17 900	20,0
22,0	69,7	45,9	18 300	18 000	17 800	17 500	22,0
24,0	67,0	44,9	17 600	17 300	17 100	16 800	24,0
26,0	64,3	43,8	16 900	16 700	16 400	16 200	26,0
28,0	61,4	42,5	16 300	16 100	15 900	15 700	28,0
30,0	58,5	41,1	15 700	15 500	15 400	15 200	30,0
32,0	55,5	39,6	15 200	15 100	14 900	14 800	32,0
36,0	49,0	35,9	14 400	14 300	14 200	14 100	36,0
39,6	42,4	31,7	13 700	13 200	12 800	12 400	39,6
40,0							40,0
44,0							44,0
44,2							44,2
47,2							47,2

MLC250 S-2



83 730 kg
+
19 960 kg




25°							
 m	 °	 m	 0° kg	 1° kg	 2° kg	 3° kg	 m
10,7							10,7
12,0							12,0
12,2							12,2
13,7	80,8	52,0	22 900				13,7
14,0	80,5	52,0	22 800				14,0
15,2	78,8	51,6	22 000	21 500			15,2
16,0	78,1	51,4	21 600	21 100			16,0
16,8	76,8	51,2	21 200	20 700	19 800	18 000	16,8
18,0	75,8	50,8	20 500	20 100	19 600	17 900	18,0
20,0	73,4	50,1	19 600	19 200	18 900	17 900	20,0
22,0	71,0	49,2	18 700	18 400	18 100	17 700	22,0
24,0	68,5	48,3	18 000	17 700	17 400	17 200	24,0
26,0	66,0	47,3	17 300	17 100	16 800	16 600	26,0
28,0	63,4	46,1	16 700	16 500	16 300	16 100	28,0
30,0	60,7	44,8	16 100	15 900	15 800	15 600	30,0
32,0	58,0	43,4	15 600	15 500	15 300	15 100	32,0
36,0	52,1	40,1	14 800	14 600	14 500	14 100	36,0
40,0	45,7	36,0	13 300	12 900	12 400	12 000	40,0
41,2	43,7	34,7	12 700	12 300	11 800	11 400	41,2
44,0							44,0
45,7							45,7
48,0							48,0
50,3							50,3

MLC250 S-2






83 730 kg
+
19 960 kg





25°							
 m	 °	 m	 0° kg	 1° kg	 2° kg	 3° kg	 m
12,2							12,2
13,7							13,7
14,0							14,0
15,2	79,7	54,8	22 300	21 800			15,2
16,0	78,8	54,6	21 900	21 400			16,0
16,8	77,2	54,4	21 500	21 000	19 700	18 000	16,8
18,0	76,6	54,0	20 900	20 400	19 600	17 900	18,0
20,0	74,4	53,3	20 000	19 600	19 200	17 800	20,0
22,0	72,1	52,5	19 100	18 800	18 500	17 800	22,0
24,0	69,8	51,7	18 400	18 100	17 800	17 500	24,0
26,0	67,4	50,7	17 700	17 400	17 200	16 900	26,0
28,0	65,0	49,6	17 100	16 800	16 600	16 400	28,0
30,0	62,6	48,5	16 500	16 300	16 100	15 900	30,0
32,0	60,1	47,2	16 000	15 800	15 600	15 500	32,0
36,0	54,7	44,1	15 100	14 800	14 400	13 800	36,0
40,0	49,0	40,5	13 100	12 600	12 100	11 600	40,0
44,0	42,6	36,0	11 000	10 600	10 200	9 900	44,0
44,2	42,2	35,7	10 900	10 500	10 200	9 800	44,2
48,0							48,0
48,8							48,8
52,0							52,0
53,3							53,3

MLC250 S-2






25°							
 m	 °	 m	 0° kg	 1° kg	 2° kg	 3° kg	 m
12,2							12,2
13,7							13,7
14,0							14,0
15,2	80,2	57,9	22 600				15,2
16,0	79,4	57,7	22 200				16,0
16,8	78,2	57,5	21 800	21 300	19 600		16,8
18,0	77,4	57,2	21 200	20 800	19 600		18,0
18,3	76,7	57,1	21 100	20 600	19 600	17 800	18,3
20,0	75,3	56,5	20 300	19 900	19 500	17 800	20,0
22,0	73,1	55,8	19 500	19 100	18 800	17 700	22,0
24,0	71,0	55,0	18 700	18 400	18 100	17 700	24,0
26,0	68,8	54,1	18 100	17 800	17 500	17 200	26,0
28,0	66,5	53,1	17 400	17 200	16 900	16 700	28,0
30,0	64,2	52,0	16 900	16 700	16 400	16 200	30,0
32,0	61,9	50,8	16 400	16 200	16 000	15 800	32,0
36,0	57,0	48,0	15 300	14 800	14 200	13 500	36,0
40,0	51,8	44,7	13 000	12 400	11 900	11 400	40,0
44,0	46,1	40,7	10 900	10 500	10 000	9 600	44,0
45,7	43,4	38,7	10 100	9 700	9 300	9 000	45,7
48,0							48,0
51,8							51,8
52,0							52,0
54,9							54,9

MLC250 S-2





25°							
			0° 	1° 	2° 	3° 	
m	°	m	kg	kg	kg	kg	m
12,2							12,2
13,7							13,7
14,0							14,0
15,2	80,7	61,1	22 900				15,2
16,0	80,0	60,9	22 500				16,0
16,8	78,6	60,7	22 100	21 600			16,8
18,0	78,0	60,3	21 500	21 100			18,0
18,3	77,7	60,2	21 400	20 900	19 500	17 800	18,3
20,0	76,0	59,7	20 600	20 200	19 400	17 700	20,0
22,0	74,0	59,1	19 800	19 400	19 100	17 700	22,0
24,0	72,0	58,3	19 100	18 700	18 400	17 600	24,0
26,0	69,9	57,4	18 400	18 100	17 800	17 500	26,0
28,0	67,8	56,5	17 800	17 500	17 300	17 000	28,0
30,0	65,7	55,5	17 200	17 000	16 700	16 500	30,0
32,0	63,5	54,4	16 700	16 500	16 300	15 800	32,0
36,0	58,9	51,8	15 400	14 600	13 900	13 200	36,0
40,0	54,2	48,7	12 800	12 200	11 600	11 100	40,0
44,0	49,0	45,1	10 700	10 300	9 800	9 400	44,0
48,0	43,3	40,7	9 000	8 600	8 300	7 900	48,0
48,8	42,2	39,7	8 700	8 300	8 000	7 700	48,8
52,0							52,0
54,9							54,9
56,0							56,0
57,9							57,9




MLC250 S-2




25°							
 m	 °	 m	 kg	 kg	 kg	 kg	 m
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8	79,8	63,8	22 400	21 700			16,8
18,0	78,6	63,5	21 800	21 300			18,0
18,3	77,7	63,4	21 700	21 200			18,3
19,8	76,2	63,0	21 000	20 600	19 400	17 600	19,8
20,0	76,7	62,9	20 900	20 500	19 400	17 600	20,0
22,0	74,8	62,3	20 100	19 700	19 200	17 600	22,0
24,0	72,9	61,6	19 400	19 000	18 700	17 500	24,0
26,0	70,9	60,8	18 700	18 400	18 100	17 500	26,0
28,0	69,0	59,9	18 100	17 800	17 600	17 300	28,0
30,0	66,9	58,9	17 600	17 300	17 000	16 800	30,0
32,0	64,9	57,9	17 000	16 800	16 500	15 500	32,0
36,0	60,7	55,5	15 200	14 400	13 700	12 900	36,0
40,0	56,2	52,6	12 700	12 000	11 400	10 800	40,0
44,0	51,5	49,3	10 600	10 100	9 600	9 100	44,0
48,0	46,4	45,3	8 900	8 500	8 100	7 700	48,0
50,3	43,2	42,7	8 000	7 600	7 300	7 000	50,3
52,0							52,0
56,0							56,0
56,4							56,4
60,0							60,0
61,0							61,0

MLC250 S-2





	 25°							
	 m	 o	 m					
				0°  kg	1°  kg	2°  kg	3°  kg	
13,7								13,7
14,0								14,0
15,2								15,2
16,0								16,0
16,8	80,3	66,9	22 600					16,8
18,0	79,2	66,6	22 100					18,0
18,3	78,7	66,6	21 900	21 500	19 300			18,3
19,8	77,2	66,1	21 300	20 800	19 300	17 500		19,8
20,0	77,4	66,1	21 200	20 800	19 300	17 500		20,0
22,0	75,6	65,5	20 400	20 000	19 200	17 500		22,0
24,0	73,7	64,8	19 700	19 300	18 900	17 500		24,0
26,0	71,9	64,0	19 000	18 700	18 400	17 400		26,0
28,0	70,0	63,2	18 400	18 100	17 800	17 400		28,0
30,0	68,1	62,3	17 900	17 600	17 300	16 600		30,0
32,0	66,2	61,3	17 300	17 100	16 100	15 200		32,0
36,0	62,2	59,0	15 000	14 200	13 400	12 600		36,0
40,0	58,0	56,4	12 400	11 800	11 100	10 500		40,0
44,0	53,7	53,3	10 400	9 800	9 300	8 800		44,0
48,0	49,0	49,7	8 600	8 200	7 800	7 400		48,0
52,0	43,9	45,4	7 200	6 800	6 500	6 200		52,0
53,3	42,1	43,7	6 700	6 400	6 100	5 800		53,3
56,0								56,0
59,4								59,4
60,0								60,0
64,0								64,0

MLC250 S-2


[illegible]


MLC250 S-2





25°							
 m	 °	 m	 0° kg	 1° kg	 2° kg	 3° kg	 m
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3	79,9	72,8	22 400	21 300			18,3
19,8	78,1	72,5	21 800	21 200	19 000		19,8
20,0	78,5	72,4	21 700	21 200	19 000		20,0
21,3	76,7	72,0	21 200	20 700	19 000	17 300	21,3
22,0	76,8	71,9	21 000	20 500	19 000	17 300	22,0
24,0	75,2	71,2	20 300	19 900	18 900	17 200	24,0
26,0	73,5	70,5	19 600	19 200	18 900	17 200	26,0
28,0	71,8	69,8	19 000	18 700	18 400	17 100	28,0
30,0	70,1	69,0	18 500	18 100	17 200	16 100	30,0
32,0	68,3	68,1	17 900	16 700	15 600	14 600	32,0
36,0	64,8	66,1	14 700	13 700	12 900	12 000	36,0
40,0	61,1	63,7	12 100	11 300	10 600	10 000	40,0
44,0	57,3	61,0	10 000	9 400	8 800	8 300	44,0
48,0	53,3	57,9	8 300	7 800	7 300	6 900	48,0
52,0	49,0	54,3	6 800	6 400	6 000	5 700	52,0
56,0	44,4	50,1	5 600	5 300	4 900	4 600	56,0
57,9	42,0	47,8	5 100	4 800	4 500	4 200	57,9
60,0							60,0
64,0							64,0
65,5							65,5
68,0							68,0
70,1							70,1

MLC250 S-2





	 25°							
	 m	 °	 m					
				0°  kg	1°  kg	2°  kg		3°  kg
15,2							15,2	
16,0							16,0	
16,8							16,8	
18,0							18,0	
18,3							18,3	
19,8	80,3	76,0	22 600				19,8	
20,0	78,2	75,6	22 000	21 100			20,0	
21,3	78,9	75,6	22 000	21 100			21,3	
22,0	77,4	75,2	21 500	20 900	18 900	16 600	22,0	
24,0	77,4	75,0	21 200	20 800	18 800	16 600	24,0	
26,0	75,8	74,4	20 500	20 100	18 800	16 500	26,0	
28,0	74,2	73,8	19 900	19 500	18 700	16 500	28,0	
30,0	72,6	73,1	19 300	18 900	18 400	16 500	30,0	
32,0	70,9	72,3	18 700	18 100	17 000	15 700	32,0	
36,0	69,3	71,4	17 800	16 500	15 300	14 300	36,0	
40,0	65,9	69,5	14 500	13 500	12 600	11 800	40,0	
44,0	62,4	67,3	11 900	11 100	10 400	9 700	44,0	
48,0	58,8	64,7	9 800	9 200	8 600	8 000	48,0	
52,0	55,1	61,8	8 100	7 600	7 100	6 600	52,0	
56,0	51,1	58,5	6 700	6 200	5 800	5 400	56,0	
59,4	46,8	54,6	5 400	5 100	4 700	4 400	59,4	
60,0	42,9	50,7	4 500	4 200	3 900	3 600	60,0	
64,0							64,0	
67,1							67,1	
68,0							68,0	
68,6							68,6	
70,1							70,1	
71,6							71,6	

MLC250 S-2



[illegible]

MLC250 S-2






25°							
 m	 °	 m	 0° kg	 1° kg	 2° kg	 3° kg	 m
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3	81,0	82,2	23 100				18,3
19,8	79,2	81,9	22 500	20 800			19,8
20,0	79,8	81,8	22 400	20 800			20,0
21,3	78,4	81,5	21 900	20 700	17 700		21,3
22,0	78,3	81,3	21 700	20 700	17 600		22,0
22,9	77,1	81,1	21 400	20 600	17 600	13 400	22,9
24,0	76,9	80,8	21 000	20 500	17 600	13 400	24,0
26,0	75,4	80,2	20 400	20 000	17 500	13 300	26,0
28,0	73,9	79,5	19 800	19 300	17 500	13 300	28,0
30,0	72,4	78,8	19 100	17 900	16 400	13 300	30,0
32,0	70,9	78,0	17 400	16 000	14 800	13 200	32,0
36,0	67,9	76,3	14 100	13 000	12 100	11 100	36,0
40,0	64,7	74,3	11 500	10 700	9 900	9 100	40,0
44,0	61,5	72,0	9 400	8 700	8 100	7 500	44,0
48,0	58,1	69,4	7 700	7 100	6 600	6 100	48,0
52,0	54,6	66,4	6 200	5 800	5 300	4 900	52,0
56,0	50,9	63,0	5 000	4 600	4 200	3 900	56,0
60,0	47,0	59,2	3 900	3 600	3 300	3 000	60,0
64,0	42,8	54,8	3 000	2 700	2 400	2 200	64,0
65,5							65,5
67,1							67,1
68,0							68,0
68,6							68,6

MLC250 S-2




25°							
 m	 °	 m	 kg	 kg	 kg	 kg	 m
16,8							16,8
18,0							18,0
18,3							18,3
19,8	80,3	85,0	22 700				19,8
20,0	80,2	84,9	22 600				20,0
21,3	78,7	84,6	22 100	20 500			21,3
22,0	78,8	84,5	21 900	20 500			22,0
22,9	77,6	84,2	21 600	20 500	16 000		22,9
24,0	77,4	83,9	21 200	20 400	15 900		24,0
24,4	76,6	83,8	21 100	20 400	15 900	11 900	24,4
26,0	76,0	83,4	20 600	20 200	15 800	11 900	26,0
28,0	74,5	82,7	20 000	19 500	15 800	11 800	28,0
30,0	73,1	82,0	19 200	17 900	15 700	11 800	30,0
32,0	71,6	81,3	17 500	16 100	14 800	11 800	32,0
36,0	68,7	79,6	14 200	13 100	12 100	11 100	36,0
40,0	65,7	77,7	11 600	10 700	9 900	9 100	40,0
44,0	62,6	75,5	9 500	8 800	8 100	7 500	44,0
48,0	59,4	73,1	7 800	7 200	6 600	6 100	48,0
52,0	56,1	70,3	6 300	5 800	5 400	4 900	52,0
56,0	52,6	67,1	5 100	4 700	4 300	3 900	56,0
60,0	49,0	63,5	4 000	3 700	3 300	3 000	60,0
64,0	45,1	59,4	3 100	2 800	2 500	2 200	64,0
65,5	43,0	57,6	2 800	2 500	2 200	1 900	65,5
67,1	41,9	55,8	2 400	2 200	1 900		67,1
68,0							68,0
68,6							68,6
70,1							70,1

MLC250 S-2





	5°			15°			
	m	°	m	°	m	kg	m
16,8	80,6	89,6	26 700				16,8
18,0	79,8	89,3	26 600				18,0
18,3	78,9	89,3	26 500				18,3
19,8	78,1	89,0	26 300				19,8
20,0	78,4	88,9	26 200				20,0
22,0	77,1	88,5	25 900				22,0
24,0	75,8	88,0	25 600				24,0
26,0	74,4	87,4	23 300				26,0
28,0	73,1	86,8	20 600				28,0
30,0	71,7	86,2	18 400				30,0
32,0	70,3	85,5	16 400				32,0
36,0	67,5	83,9	13 300				36,0
40,0	64,7	82,1	10 800				40,0
44,0	61,8	80,0	8 800				44,0
48,0	58,8	77,7	7 100				48,0
52,0	55,7	75,1	5 700				52,0
56,0	52,5	72,1	4 600				56,0
60,0	49,1	68,8	3 500				60,0
64,0	45,5	65,0	2 700				64,0
68,0	41,7	60,7	1 900				68,0
68,6	41,2	60,1	1 800				68,6



MLC250 S-2



25°				
0°				
m	°	m	kg	m
16,8				16,8
18,0				18,0
18,3				18,3
19,8	80,6	88,1	22 800	19,8
20,0	80,5	88,1	22 800	20,0
22,0	79,2	87,6	22 100	22,0
24,0	77,8	87,1	21 400	24,0
26,0	76,5	86,5	20 800	26,0
28,0	75,1	85,9	20 200	28,0
30,0	73,7	85,3	19 200	30,0
32,0	72,3	84,6	17 300	32,0
36,0	69,5	83,0	14 000	36,0
40,0	66,6	81,1	11 400	40,0
44,0	63,7	79,0	9 300	44,0
48,0	60,6	76,7	7 600	48,0
52,0	57,5	74,0	6 100	52,0
56,0	54,2	71,0	4 900	56,0
60,0	50,8	67,6	3 800	60,0
64,0	47,2	63,8	2 900	64,0
68,0	43,3	59,4	2 100	68,0
68,6	42,7	58,8	2 000	68,6

MLC250 S-2





	 25°							
	 m	 °	 m					
				0°  kg	1°  kg	2°  kg		3°  kg
9,1							9,1	
10,0							10,0	
10,7							10,7	
12,0							12,0	
12,2							12,2	
13,7	80,1	39,2	17 900				13,7	
14,0	79,6	39,1	17 700				14,0	
15,2	77,2	38,6	17 000	16 600	15 300	13 800	15,2	
16,0	76,5	38,4	16 500	16 200	15 300	13 700	16,0	
18,0	73,2	37,5	15 500	15 200	14 900	13 600	18,0	
20,0	69,9	36,5	14 700	14 400	14 200	13 600	20,0	
22,0	66,5	35,3	13 900	13 700	13 500	13 300	22,0	
24,0	62,9	34,0	13 200	13 100	12 900	12 800	24,0	
26,0	59,2	32,4	12 600	12 500	12 400	12 300	26,0	
28,0	55,2	30,7	12 100	12 000	11 900	11 800	28,0	
30,0	51,0	28,7	11 700	11 600	11 500	11 400	30,0	
32,0	46,4	26,3	11 300	11 300	11 200	11 100	32,0	
36,0							36,0	
36,6							36,6	
38,1							38,1	

MLC250 S-2



83 730 kg
+
19 960 kg





5°													15°				
0°													0°				
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m	°	m	kg	kg
10,7	79,3	44,2	24 500	20 600									10,7				
12,0	77,5	43,8	23 900	20 300									12,0				
12,2	76,7	43,8	23 900	20 200	17 600	15 600	80,1	43,5	22 000	18 600	16 300	14 600	12,2				
13,7	74,5	43,4	23 300	19 800	17 300	15 300	77,5	43,0	21 500	18 600	16 300	14 600	13,7				
14,0	74,7	43,3	23 200	19 700	17 200	15 300	77,5	43,0	21 500	18 500	16 300	14 500	14,0				
15,2	72,2	42,9	22 700	19 400	17 000	15 100	75,2	42,5	21 200	18 300	16 100	14 400	15,2				
16,0	71,8	42,6	22 500	19 200	16 800	15 000	74,7	42,3	21 000	18 100	16 000	14 300	16,0				
16,8	69,8	42,3	22 200	19 000	16 700	14 900	72,8	42,0	20 800	18 000	15 900	14 300	16,8				
18,0	69,0	41,8	21 800	18 700	16 400	14 700	71,8	41,5	20 600	17 800	15 800	14 200	18,0				
20,0	66,0	40,9	21 200	18 300	16 100	14 400	68,8	40,6	20 100	17 500	15 500	14 000	20,0				
22,0	63,0	39,9	20 600	17 800	15 800	14 100	65,7	39,6	19 400	17 300	15 300	13 800	22,0				
24,0	59,9	38,7	20 100	17 500	15 500	13 900	62,6	38,4	18 100	17 000	15 100	13 700	24,0				
26,0	56,7	37,4	19 700	17 100	15 200	13 700	59,3	37,0	17 100	16 800	15 000	13 500	26,0				
28,0	53,3	35,9	19 200	16 800	15 000	13 500	56,0	35,5	16 100	16 100	14 800	13 400	28,0				
30,0	49,8	34,2	18 200	16 500	14 700	13 300	52,4	33,8	15 300	15 300	14 700	13 300	30,0				
32,0	46,1	32,3	17 100	16 300	14 600	13 200	48,6	31,9	14 600	14 500	14 400	13 300	32,0				
35,1	39,1	28,7	15 700	15 400	14 400	13 000	41,9	28,2	13 600	13 600	13 500	13 200	35,1				
36,0	37,8	27,6	15 300	15 100	14 300	12 900	40,1	27,1	13 300	13 300	13 300	13 100	36,0				
38,1	31,8	24,1	14 500	14 400	13 900	12 900	34,9	23,8	12 800	12 800	12 800	12 700	38,1				
40,0	27,3	20,9	13 800	13 700	13 400	12 800							40,0				
41,2	23,4	18,3	13 500	13 200	12 900	12 600							41,2				

MLC250 S-2





83 730 kg
+
19 960 kg






25°							
 m	 °	 m	 0° kg	 1° kg	 2° kg	 3° kg	 m
10,7							10,7
12,0							12,0
12,2							12,2
13,7	80,8	42,4	18 200				13,7
14,0	80,4	42,3	18 000				14,0
15,2	78,2	41,9	17 300	16 900	15 300		15,2
16,0	77,5	41,6	16 900	16 500	15 300		16,0
16,8	75,8	41,3	16 500	16 200	15 200	13 700	16,8
18,0	74,5	40,8	15 900	15 600	15 200	13 700	18,0
20,0	71,5	39,9	15 100	14 800	14 600	13 600	20,0
22,0	68,4	38,8	14 300	14 100	13 900	13 500	22,0
24,0	65,2	37,6	13 600	13 500	13 300	13 100	24,0
26,0	61,9	36,2	13 100	12 900	12 800	12 600	26,0
28,0	58,4	34,7	12 500	12 400	12 300	12 200	28,0
30,0	54,7	32,9	12 100	12 000	11 900	11 800	30,0
32,0	50,8	30,9	11 700	11 600	11 500	11 400	32,0
35,1	44,3	27,3	11 200	11 100	11 100	11 000	35,1
36,0							36,0
38,1							38,1
40,0							40,0
41,2							41,2




		 25°						
								
 m		 °	 m	0°  kg	1°  kg	2°  kg	3°  kg	 m
10,7								10,7
12,0								12,0
12,2								12,2
13,7								13,7
14,0								14,0
15,2	79,4	45,0	17 600	17 200				15,2
16,0	78,4	44,8	17 200	16 900				16,0
16,8	76,8	44,5	16 800	16 500	15 300	13 700		16,8
18,0	75,7	44,1	16 300	16 000	15 200	13 700		18,0
20,0	72,9	43,2	15 400	15 200	14 900	13 600		20,0
22,0	70,0	42,2	14 700	14 500	14 200	13 500		22,0
24,0	67,1	41,1	14 000	13 800	13 600	13 400		24,0
26,0	64,1	39,9	13 400	13 300	13 100	12 900		26,0
28,0	61,0	38,5	12 900	12 800	12 600	12 500		28,0
30,0	57,7	37,0	12 500	12 300	12 200	12 100		30,0
32,0	54,3	35,2	12 000	11 900	11 800	11 700		32,0
36,0	46,8	31,0	11 400	11 300	11 200	11 200		36,0
36,6	45,7	30,2	11 300	11 200	11 100	11 100		36,6
40,0								40,0
41,2								41,2
44,0								44,0
44,2								44,2

MLC250 S-2





25°							
 m	 °	 m	 kg	 kg	 kg	 kg	 m
10,7							10,7
12,0							12,0
12,2							12,2
13,7							13,7
14,0							14,0
15,2	80,1	48,2	17 900				15,2
16,0	79,2	48,0	17 500				16,0
16,8	77,8	47,7	17 100	16 800	15 300		16,8
18,0	76,6	47,3	16 600	16 300	15 200		18,0
18,3	75,7	47,2	16 500	16 100	15 200	13 700	18,3
20,0	74,1	46,5	15 800	15 500	15 100	13 600	20,0
22,0	71,4	45,6	15 000	14 800	14 500	13 600	22,0
24,0	68,7	44,6	14 400	14 200	14 000	13 500	24,0
26,0	66,0	43,5	13 800	13 600	13 400	13 200	26,0
28,0	63,1	42,2	13 300	13 100	12 900	12 800	28,0
30,0	60,2	40,8	12 800	12 700	12 500	12 400	30,0
32,0	57,1	39,2	12 400	12 200	12 100	12 000	32,0
36,0	50,6	35,5	11 700	11 600	11 500	11 400	36,0
39,6	43,9	31,2	11 200	11 100	11 000	11 000	39,6
40,0							40,0
44,0							44,0
44,2							44,2
47,2							47,2

MLC250 S-2





83 730 kg
+
19 960 kg











25°							
 m	 °	 m	 0° kg	 1° kg	 2° kg	 3° kg	 m
12,2							12,2
13,7							13,7
14,0							14,0
15,2	80,7	51,4	18 200				15,2
16,0	79,8	51,1	17 800				16,0
16,8	78,2	50,9	17 400	17 000	15 300		16,8
18,0	77,5	50,5	16 900	16 500	15 200		18,0
18,3	76,7	50,4	16 800	16 400	15 200	13 700	18,3
20,0	75,1	49,8	16 100	15 800	15 100	13 600	20,0
22,0	72,6	48,9	15 400	15 100	14 800	13 600	22,0
24,0	70,1	48,0	14 700	14 500	14 200	13 600	24,0
26,0	67,6	47,0	14 100	13 900	13 700	13 500	26,0
28,0	65,0	45,8	13 600	13 400	13 200	13 100	28,0
30,0	62,3	44,5	13 100	13 000	12 800	12 700	30,0
32,0	59,5	43,1	12 700	12 600	12 400	12 300	32,0
36,0	53,6	39,7	12 000	11 900	11 800	11 700	36,0
40,0	47,1	35,6	11 400	11 300	11 200	11 200	40,0
41,2	45,1	34,2	11 200	11 200	11 100	11 000	41,2
44,0							44,0
45,7							45,7
48,0							48,0
50,3							50,3

MLC250 S-2






83 730 kg
+
19 960 kg




	 5°						 15°							
														
				0°	1°	2°	3°			0°	1°	2°		3°
				kg	kg	kg	kg			kg	kg	kg		kg
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m	
12,2	80,1	56,3	24 300											12,2
13,7	78,3	56,0	23 900	20 100	17 400		80,7	55,6	21 800					13,7
14,0	78,2	55,9	23 800	20 000	17 400		80,4	55,6	21 800					14,0
15,2	76,8	55,6	23 400	19 800	17 200	15 200	78,8	55,2	21 600	18 500				15,2
16,0	76,0	55,4	23 200	19 600	17 100	15 100	78,2	55,0	21 400	18 400				16,0
16,8	74,8	55,1	23 000	19 500	17 000	15 000	77,2	54,8	21 300	18 300	16 100	14 300	16,8	
18,0	73,8	54,8	22 600	19 200	16 800	14 900	76,0	54,4	21 100	18 100	15 900	14 200	18,0	
18,3	72,7	54,7	22 500	19 200	16 700	14 900	75,6	54,3	21 000	18 100	15 900	14 200	18,3	
20,0	71,6	54,1	22 100	18 900	16 500	14 700	73,8	53,8	20 700	17 900	15 800	14 100	20,0	
22,0	69,4	53,4	21 600	18 500	16 200	14 500	71,6	53,0	20 400	17 700	15 600	14 000	22,0	
24,0	67,1	52,5	21 200	18 200	16 000	14 300	69,3	52,1	20 100	17 400	15 400	13 900	24,0	
26,0	64,8	51,6	20 800	17 800	15 700	14 100	66,9	51,2	19 800	17 300	15 300	13 700	26,0	
28,0	62,4	50,5	20 400	17 600	15 500	13 900	64,6	50,1	18 900	17 100	15 200	13 600	28,0	
30,0	60,0	49,4	20 000	17 300	15 300	13 700	62,1	49,0	18 000	16 900	15 000	13 500	30,0	
32,0	57,6	48,1	19 000	17 100	15 100	13 600	59,6	47,7	17 100	16 800	14 900	13 500	32,0	
36,0	52,4	45,1	15 800	15 200	14 400	13 300	54,4	44,7	15 700	15 400	14 600	13 300	36,0	
40,0	46,8	41,6	13 400	12 800	12 300	11 900	48,7	41,1	13 600	13 100	12 600	12 100	40,0	
44,0	40,6	37,2	11 400	11 000	10 600	10 200	42,4	36,6	11 500	11 100	10 700	10 400	44,0	
44,2	39,6	36,9	11 300	10 900	10 500	10 100	41,6	36,4	11 400	11 000	10 700	10 300	44,2	
48,0	33,4	31,6	9 700	9 400	9 100	8 800	35,1	31,0	9 800	9 500	9 200	8 900	48,0	
48,8	31,2	30,1	9 400	9 100	8 800	8 600	33,5	29,7	9 500	9 200	8 900	8 700	48,8	
51,8	24,8	24,4	8 300	8 100	7 900	7 700							51,8	

MLC250 S-2





	 25°						
	 °	 m					
			0° kg	1° kg	2° kg	3° kg	 m
12,2							12,2
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8	79,6	54,1	17 700	17 200			16,8
18,0	78,2	53,7	17 100	16 800			18,0
18,3	77,6	53,6	17 000	16 700	15 200	13 700	18,3
20,0	76,0	53,0	16 400	16 000	15 100	13 600	20,0
22,0	73,7	52,2	15 700	15 400	15 000	13 600	22,0
24,0	71,4	51,4	15 000	14 800	14 500	13 500	24,0
26,0	69,0	50,4	14 400	14 200	14 000	13 500	26,0
28,0	66,6	49,3	13 900	13 700	13 500	13 300	28,0
30,0	64,1	48,1	13 400	13 300	13 100	12 900	30,0
32,0	61,5	46,8	13 000	12 900	12 700	12 600	32,0
36,0	56,2	43,8	12 300	12 100	12 000	11 900	36,0
40,0	50,4	40,1	11 600	11 600	11 500	11 400	40,0
44,0	43,9	35,5	11 200	11 100	10 800	10 500	44,0
44,2	43,6	35,2	11 100	11 100	10 800	10 400	44,2
48,0							48,0
48,8							48,8
51,8							51,8



MLC250 S-2





25°							
 m	 °	 m	 0° kg	 1° kg	 2° kg	 3° kg	 m
12,2							12,2
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8	80,2	57,2	17 900				16,8
18,0	78,9	56,9	17 400				18,0
18,3	77,7	56,8	17 300	16 900	15 200		18,3
19,8	76,2	56,3	16 700	16 400	15 100	13 600	19,8
20,0	76,8	56,2	16 600	16 300	15 100	13 600	20,0
22,0	74,6	55,5	15 900	15 600	15 100	13 500	22,0
24,0	72,4	54,7	15 300	15 000	14 800	13 500	24,0
26,0	70,2	53,8	14 700	14 500	14 300	13 500	26,0
28,0	68,0	52,8	14 200	14 000	13 800	13 500	28,0
30,0	65,7	51,7	13 700	13 500	13 400	13 200	30,0
32,0	63,3	50,5	13 300	13 100	13 000	12 800	32,0
36,0	58,4	47,7	12 500	12 400	12 300	12 200	36,0
40,0	53,1	44,3	11 900	11 800	11 700	11 600	40,0
44,0	47,4	40,2	11 400	11 000	10 600	10 200	44,0
45,7	44,7	38,2	10 700	10 300	9 900	9 500	45,7
48,0							48,0
51,8							51,8
52,0							52,0
54,9							54,9

MLC250 S-2






	 25°							
	 m	 °	 m					
				0°  kg	1°  kg	2°  kg	3°  kg	
13,7								13,7
14,0								14,0
15,2								15,2
16,0								16,0
16,8								16,8
	80,7	60,4	18 100					
18,0	79,5	60,0	17 600					18,0
18,3	78,7	59,9	17 500	17 100				18,3
19,8	77,2	59,5	16 900	16 600	15 100	13 600		19,8
20,0	77,5	59,4	16 900	16 500	15 100	13 600		20,0
22,0	75,4	58,7	16 200	15 900	15 000	13 500		22,0
24,0	73,4	58,0	15 600	15 300	14 900	13 500		24,0
26,0	71,3	57,1	15 000	14 700	14 500	13 500		26,0
28,0	69,2	56,2	14 500	14 300	14 000	13 500		28,0
30,0	67,0	55,1	14 000	13 800	13 600	13 400		30,0
32,0	64,8	54,0	13 600	13 400	13 200	13 100		32,0
36,0	60,3	51,4	12 800	12 700	12 500	12 400		36,0
40,0	55,4	48,3	12 200	12 100	11 900	11 700		40,0
44,0	50,2	44,7	11 300	10 800	10 400	9 900		44,0
48,0	44,5	40,2	9 600	9 200	8 800	8 500		48,0
48,8	43,3	39,2	9 300	8 900	8 600	8 200		48,8
52,0								52,0
54,9								54,9
56,0								56,0
57,9								57,9

MLC250 S-2





		5°						15°						
		m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	m
13,7	80,1	65,3	23 900											13,7
14,0	79,9	65,2	23 800											14,0
15,2	78,4	65,0	23 500	19 800	17 100			80,7	64,6	21 600				15,2
16,0	78,0	64,8	23 300	19 600	17 000			79,9	64,5	21 500				16,0
16,8	77,2	64,6	23 100	19 500	16 900	15 000		78,6	64,3	21 400	18 200			16,8
18,0	76,2	64,3	22 900	19 300	16 800	14 900		78,1	64,0	21 200	18 100			18,0
18,3	75,7	64,2	22 800	19 300	16 700	14 900		77,7	63,9	21 200	18 100	15 900	14 200	18,3
19,8	74,2	63,8	22 500	19 000	16 600	14 700		76,2	63,4	20 900	18 000	15 800	14 100	19,8
20,0	74,3	63,8	22 400	19 000	16 500	14 700		76,2	63,4	20 900	17 900	15 700	14 100	20,0
21,3	72,7	63,3	22 100	18 800	16 400	14 600		74,7	63,0	20 700	17 800	15 700	14 000	21,3
22,0	72,5	63,1	22 000	18 700	16 300	14 500		74,3	62,7	20 600	17 700	15 600	13 900	22,0
24,0	70,6	62,4	21 600	18 400	16 100	14 300		72,4	62,0	20 400	17 600	15 500	13 900	24,0
26,0	68,6	61,6	21 200	18 100	15 900	14 200		70,5	61,2	20 100	17 400	15 300	13 700	26,0
28,0	66,7	60,7	20 900	17 900	15 700	14 000		68,5	60,4	19 900	17 200	15 200	13 700	28,0
30,0	64,7	59,8	20 100	17 600	15 500	13 900		66,5	59,4	19 600	17 100	15 100	13 600	30,0
32,0	62,7	58,8	18 300	17 300	15 300	13 700		64,5	58,4	18 800	17 000	15 000	13 500	32,0
36,0	58,5	56,4	15 200	14 400	13 600	12 900		60,3	56,0	15 500	14 700	14 000	13 100	36,0
40,0	54,2	53,6	12 700	12 100	11 500	10 900		55,9	53,2	13 000	12 400	11 800	11 200	40,0
44,0	49,5	50,3	10 700	10 200	9 700	9 300		51,2	49,9	10 900	10 400	9 900	9 500	44,0
48,0	44,5	46,5	9 000	8 600	8 300	7 900		46,2	46,0	9 200	8 800	8 400	8 100	48,0
50,3	41,1	43,8	8 200	7 900	7 500	7 200		42,6	43,2	8 400	8 100	7 700	7 400	50,3
52,0	39,0	41,8	7 600	7 300	7 000	6 700		40,6	41,2	7 800	7 500	7 200	6 800	52,0
56,0	32,8	36,0	6 500	6 200	5 900	5 700		34,2	35,4	6 600	6 300	6 100	5 800	56,0
56,4	31,3	35,3	6 400	6 100	5 900	5 600		33,5	34,7	6 500	6 200	6 000	5 700	56,4
60,0	25,1	28,5	5 400	5 200	5 000	4 800								60,0
61,0	22,9	26,2	5 200	5 000	4 800	4 600								61,0




MLC250 S-2





25°							
 m	 °	 m	 kg	 kg	 kg	 kg	 m
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3	79,7	63,1	17 700	17 100			18,3
19,8	78,1	62,7	17 200	16 800	15 100		19,8
20,0	78,1	62,6	17 100	16 700	15 100		20,0
21,3	76,7	62,2	16 700	16 300	15 000	13 500	21,3
22,0	76,2	62,0	16 400	16 100	15 000	13 500	22,0
24,0	74,2	61,2	15 800	15 500	15 000	13 500	24,0
26,0	72,3	60,4	15 300	15 000	14 700	13 400	26,0
28,0	70,3	59,5	14 700	14 500	14 300	13 400	28,0
30,0	68,3	58,6	14 300	14 100	13 900	13 400	30,0
32,0	66,2	57,5	13 800	13 600	13 500	13 300	32,0
36,0	61,9	55,1	13 100	12 900	12 800	12 600	36,0
40,0	57,5	52,2	12 400	12 300	12 000	11 400	40,0
44,0	52,7	48,9	11 200	10 600	10 200	9 700	44,0
48,0	47,5	44,9	9 400	9 000	8 600	8 200	48,0
50,3	44,3	42,2	8 500	8 200	7 800	7 500	50,3
52,0							52,0
56,0							56,0
56,4							56,4
60,0							60,0
61,0							61,0





MLC250 S-2




	 25°							
	 m	 °	 m					
				0°  kg	1°  kg	2°  kg		3°  kg
13,7							13,7	
14,0							14,0	
15,2							15,2	
16,0							16,0	
16,8							16,8	
18,0							18,0	
18,3	80,2	66,3	17 900				18,3	
19,8	78,2	65,8	17 400	17 000	15 000		19,8	
20,0	78,7	65,8	17 300	16 900	15 000		20,0	
21,3	76,7	65,4	16 900	16 500	15 000	13 400	21,3	
22,0	76,8	65,2	16 700	16 300	15 000	13 400	22,0	
24,0	75,0	64,5	16 100	15 700	14 900	13 400	24,0	
26,0	73,1	63,7	15 500	15 200	14 900	13 400	26,0	
28,0	71,3	62,9	15 000	14 700	14 500	13 400	28,0	
30,0	69,3	62,0	14 500	14 300	14 100	13 400	30,0	
32,0	67,4	61,0	14 100	13 900	13 700	13 400	32,0	
36,0	63,4	58,7	13 300	13 100	13 000	12 800	36,0	
40,0	59,2	56,0	12 700	12 400	11 800	11 200	40,0	
44,0	54,8	52,9	11 000	10 500	9 900	9 400	44,0	
48,0	50,1	49,2	9 300	8 800	8 400	8 000	48,0	
52,0	45,0	44,9	7 800	7 400	7 100	6 700	52,0	
53,3	43,1	43,3	7 300	7 000	6 700	6 400	53,3	
56,0							56,0	
59,4							59,4	
60,0							60,0	
64,0							64,0	

MLC250 S-2





	 25°							 m
	 °	 m						
			0° kg	1° kg	2° kg	3° kg		
13,7							13,7	
14,0							14,0	
15,2							15,2	
16,0							16,0	
16,8							16,8	
18,0							18,0	
18,3	80,7	69,4	18 100				18,3	
19,8	79,1	69,0	17 600	17 000			19,8	
20,0	79,2	68,9	17 500	16 900			20,0	
21,3	77,7	68,5	17 100	16 700	14 900		21,3	
22,0	77,4	68,3	16 900	16 500	14 900		22,0	
22,9	76,1	68,0	16 600	16 300	14 900	13 400	22,9	
24,0	75,7	67,7	16 300	16 000	14 900	13 400	24,0	
26,0	73,9	67,0	15 700	15 400	14 800	13 300	26,0	
28,0	72,1	66,2	15 200	15 000	14 700	13 300	28,0	
30,0	70,3	65,3	14 800	14 500	14 300	13 300	30,0	
32,0	68,5	64,4	14 300	14 100	13 900	13 300	32,0	
36,0	64,7	62,2	13 600	13 400	13 200	12 800	36,0	
40,0	60,8	59,7	12 800	12 200	11 500	10 900	40,0	
44,0	56,7	56,8	10 800	10 200	9 700	9 100	44,0	
48,0	52,3	53,4	9 000	8 600	8 100	7 700	48,0	
52,0	47,7	49,5	7 600	7 200	6 800	6 500	52,0	
54,9	44,1	46,2	6 600	6 300	6 000	5 700	54,9	
56,0							56,0	
60,0							60,0	
62,5							62,5	
64,0							64,0	
67,1							67,1	

MLC250 S-2




25°							
 m	 °	 m	 0° kg	 1° kg	 2° kg	 3° kg	 m
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3							18,3
19,8	79,8	72,1	17 800	16 900			19,8
20,0	79,7	72,1	17 700	16 900			20,0
21,3	77,7	71,7	17 300	16 800	14 800		21,3
22,0	78,0	71,5	17 100	16 700	14 800		22,0
22,9	76,6	71,2	16 800	16 400	14 800	13 300	22,9
24,0	76,3	70,9	16 500	16 200	14 800	13 300	24,0
26,0	74,6	70,2	15 900	15 600	14 800	13 300	26,0
28,0	72,9	69,5	15 400	15 200	14 800	13 300	28,0
30,0	71,2	68,6	15 000	14 700	14 500	13 300	30,0
32,0	69,5	67,7	14 600	14 300	14 100	13 300	32,0
36,0	65,9	65,7	13 800	13 600	13 300	12 700	36,0
40,0	62,2	63,4	12 700	12 000	11 300	10 600	40,0
44,0	58,4	60,6	10 600	10 000	9 400	8 900	44,0
48,0	54,3	57,5	8 900	8 400	7 900	7 500	48,0
52,0	50,0	53,8	7 400	7 000	6 600	6 200	52,0
56,0	45,4	49,6	6 100	5 800	5 500	5 200	56,0
57,9	43,0	47,3	5 600	5 300	5 000	4 700	57,9
60,0							60,0
64,0							64,0
68,0							68,0
70,1							70,1

MLC250 S-2




25°							
 m	 °	 m	 0° kg	 1° kg	 2° kg	 3° kg	 m
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3							18,3
19,8	80,2	75,3	17 900				19,8
20,0	80,1	75,2	17 900				20,0
21,3	78,7	74,9	17 500	16 800			21,3
22,0	78,5	74,7	17 300	16 700			22,0
22,9	77,1	74,4	17 000	16 500	14 800	13 200	22,9
24,0	76,9	74,1	16 700	16 300	14 700	13 200	24,0
26,0	75,3	73,4	16 100	15 800	14 700	13 200	26,0
28,0	73,7	72,7	15 700	15 400	14 700	13 200	28,0
30,0	72,0	71,9	15 200	14 900	14 600	13 200	30,0
32,0	70,4	71,1	14 800	14 500	14 300	13 200	32,0
36,0	67,0	69,1	14 000	13 800	13 200	12 400	36,0
40,0	63,5	66,9	12 600	11 800	11 000	10 300	40,0
44,0	59,9	64,4	10 400	9 800	9 200	8 600	44,0
48,0	56,1	61,4	8 700	8 200	7 700	7 200	48,0
52,0	52,1	58,0	7 200	6 800	6 400	6 000	52,0
56,0	47,8	54,1	6 000	5 600	5 200	4 900	56,0
59,4	43,8	50,2	5 000	4 700	4 400	4 100	59,4
60,0							60,0
64,0							64,0
67,1							67,1
68,0							68,0
71,6							71,6



MLC250 S-2

[illegible]

MLC250 S-2








83 730 kg
+
19 960 kg




25°							
 m	 °	 m	 0° kg	 1° kg	 2° kg	 3° kg	 m
16,8							16,8
18,0							18,0
18,3							18,3
19,8	81,0	81,5	18 300				19,8
20,0	80,8	81,5	18 200				20,0
21,3	79,4	81,2	17 800	16 600			21,3
22,0	79,4	81,0	17 600	16 600			22,0
22,9	78,1	80,7	17 300	16 600	14 600		22,9
24,0	77,9	80,4	17 000	16 500	14 600		24,0
24,4	76,8	80,3	16 900	16 500	14 600	12 200	24,4
26,0	76,5	79,8	16 500	16 200	14 600	12 200	26,0
28,0	75,0	79,2	16 000	15 700	14 500	12 200	28,0
30,0	73,5	78,5	15 600	15 300	14 500	12 200	30,0
32,0	71,9	77,7	15 200	14 900	14 500	12 200	32,0
36,0	68,9	75,9	14 400	13 700	12 700	11 800	36,0
40,0	65,7	73,9	12 200	11 300	10 500	9 800	40,0
44,0	62,4	71,6	10 000	9 300	8 700	8 100	44,0
48,0	59,1	69,0	8 300	7 700	7 200	6 700	48,0
52,0	55,5	66,0	6 800	6 300	5 900	5 400	52,0
56,0	51,8	62,6	5 500	5 100	4 800	4 400	56,0
60,0	47,9	58,7	4 500	4 100	3 800	3 500	60,0
64,0	43,6	54,2	3 500	3 200	2 900	2 700	64,0
67,1							67,1
68,0							68,0
68,6							68,6
70,1							70,1
71,6							71,6

MLC250 S-2





	 25°							 m
	 m	 °	 m					
				 kg	 kg	 kg	 kg	
16,8								16,8
18,0								18,0
18,3								18,3
19,8								19,8
20,0								20,0
21,3	80,3	84,3	17 900					21,3
22,0	79,8	84,1	17 800					22,0
22,9	78,6	83,9	17 500	16 400				22,9
24,0	78,4	83,6	17 200	16 400				24,0
24,4	77,6	83,5	17 100	16 400	14 400			24,4
25,9	76,1	83,0	16 700	16 400	14 400	11 100		25,9
26,0	77,0	83,0	16 700	16 400	14 400	11 100		26,0
28,0	75,5	82,4	16 200	15 900	14 400	11 100		28,0
30,0	74,1	81,7	15 800	15 500	14 400	11 100		30,0
32,0	72,6	80,9	15 400	15 100	14 400	11 000		32,0
36,0	69,7	79,3	14 400	13 500	12 500	11 000		36,0
40,0	66,7	77,3	12 000	11 100	10 300	9 500		40,0
44,0	63,6	75,1	9 900	9 100	8 500	7 800		44,0
48,0	60,3	72,7	8 100	7 500	6 900	6 400		48,0
52,0	57,0	69,8	6 600	6 100	5 700	5 200		52,0
56,0	53,5	66,6	5 400	5 000	4 600	4 200		56,0
60,0	49,9	63,0	4 300	3 900	3 600	3 300		60,0
64,0	45,9	58,9	3 300	3 000	2 700	2 400		64,0
65,5	44,4	57,1	3 000	2 700	2 400	2 200		65,5
67,1								67,1
68,0								68,0
68,6								68,6
70,1								70,1

MLC250 S-2




83 730 kg
+
19 960 kg





25°							
 m	 °	 m	 0° kg	 1° kg	 2° kg	 3° kg	 m
16,8							16,8
18,0							18,0
18,3							18,3
19,8							19,8
20,0							20,0
21,3	80,6	87,4	18 100				21,3
22,0	80,2	87,3	17 900				22,0
22,9	79,1	87,0	17 700	16 300			22,9
24,0	78,8	86,8	17 400	16 300			24,0
24,4	77,8	86,6	17 300	16 300	13 300		24,4
25,9	77,1	86,2	16 900	16 300	13 300	10 000	25,9
26,0	77,4	86,2	16 900	16 300	13 300	10 000	26,0
28,0	76,1	85,6	16 400	16 100	13 300	9 900	28,0
30,0	74,7	84,9	15 900	15 700	13 200	9 900	30,0
32,0	73,3	84,2	15 500	15 300	13 200	9 900	32,0
36,0	70,4	82,6	14 500	13 600	12 500	9 900	36,0
40,0	67,5	80,7	12 100	11 100	10 300	9 500	40,0
44,0	64,6	78,7	9 900	9 200	8 500	7 800	44,0
48,0	61,5	76,3	8 200	7 600	7 000	6 400	48,0
52,0	58,4	73,6	6 700	6 200	5 700	5 200	52,0
56,0	55,1	70,6	5 400	5 000	4 600	4 200	56,0
60,0	51,6	67,2	4 400	4 000	3 600	3 300	60,0
64,0	48,0	63,3	3 400	3 100	2 800	2 500	64,0
65,5	45,9	61,6	3 100	2 800	2 500	2 200	65,5
67,1	44,7	60,0	2 800	2 500	2 200	1 900	67,1
68,0	44,1	58,9	2 600	2 300	2 000		68,0
68,6	43,5	58,2	2 400	2 200	1 900		68,6
70,1							70,1
71,6							71,6

MLC250 S-2





83 730 kg
+
19 960 kg






	5°			15°			
	m	°	m	kg	°	m	kg
18,3	80,2	92,4	21 900	80,6	91,7	20 300	18,3
19,8	79,1	92,1	21 700	80,5	91,6	20 300	19,8
20,0	79,1	92,0	21 700	79,4	91,3	20 100	20,0
21,3	77,7	91,7	21 500	79,2	91,2	20 100	21,3
22,0	77,8	91,6	21 400	77,9	90,7	19 900	22,0
24,0	76,6	91,1	21 200	76,6	90,2	19 800	24,0
26,0	75,3	90,6	20 900	75,3	89,6	19 600	26,0
28,0	74,0	90,0	20 400	73,9	89,0	19 000	28,0
30,0	72,6	89,4	18 700	72,6	88,3	17 300	30,0
32,0	71,3	88,7	16 700	69,9	86,7	14 100	32,0
36,0	68,6	87,2	13 500	67,2	85,0	11 500	36,0
40,0	65,9	85,4	11 000	64,4	83,0	9 400	40,0
44,0	63,1	83,4	9 000	61,5	80,8	7 700	44,0
48,0	60,2	81,2	7 400	58,5	78,3	6 300	48,0
52,0	57,3	78,7	6 000	55,4	75,4	5 000	52,0
56,0	54,2	75,9	4 800	52,2	72,3	4 000	56,0
60,0	51,0	72,8	3 800	48,8	68,7	3 100	60,0
64,0	47,7	69,2	2 900	45,3	64,7	2 300	64,0
68,0	44,1	65,2	2 100	44,4	64,0	2 100	68,0
68,6	43,6	64,6	2 000	43,3	62,4	1 900	68,6
70,1							70,1

MLC250 S-2





25°				
0°				
m	°	m	kg	m
18,3				18,3
19,8				19,8
20,0				20,0
21,3	80,9	90,5	18 200	21,3
22,0	80,5	90,4	18 000	22,0
24,0	79,2	89,9	17 500	24,0
26,0	77,9	89,4	17 000	26,0
28,0	76,5	88,8	16 600	28,0
30,0	75,2	88,1	16 100	30,0
32,0	73,9	87,4	15 700	32,0
36,0	71,1	85,9	14 500	36,0
40,0	68,4	84,1	11 900	40,0
44,0	65,5	82,1	9 800	44,0
48,0	62,6	79,9	8 000	48,0
52,0	59,6	77,3	6 500	52,0
56,0	56,5	74,4	5 300	56,0
60,0	53,2	71,2	4 200	60,0
64,0	49,8	67,6	3 200	64,0
68,0	46,2	63,5	2 400	68,0
68,6	45,4	62,9	2 300	68,6
70,1	44,1	61,2	2 000	70,1



MLC250 S-2




25°							
 m	 °	 m	 kg	 kg	 kg	 kg	 m
10,7							10,7
12,0							12,0
12,2							12,2
13,7							13,7
14,0							14,0
15,2	80,5	41,7	14 700				15,2
16,0	79,4	41,5	14 300				16,0
16,8	77,8	41,1	13 900	13 800	12 400		16,8
18,0	76,4	40,7	13 400	13 200	12 300		18,0
18,3	75,6	40,5	13 200	13 100	12 300	11 000	18,3
20,0	73,4	39,7	12 500	12 400	12 100	10 900	20,0
22,0	70,3	38,7	11 800	11 700	11 500	10 900	22,0
24,0	67,0	37,5	11 200	11 100	10 900	10 700	24,0
26,0	63,7	36,1	10 600	10 500	10 400	10 200	26,0
28,0	60,2	34,5	10 100	10 000	9 900	9 800	28,0
30,0	56,5	32,8	9 700	9 600	9 500	9 400	30,0
32,0	52,6	30,8	9 300	9 300	9 200	9 100	32,0
35,1	46,0	27,1	8 800	8 800	8 700	8 700	35,1
36,0							36,0
39,6							39,6
40,0							40,0
41,2							41,2

MLC250 S-2





		 25°						
								
 m	 °	 m	 0° kg	 1° kg	 2° kg	 3° kg	 m	
10,7							10,7	
12,0							12,0	
12,2							12,2	
13,7							13,7	
14,0							14,0	
15,2							15,2	
16,0							16,0	
16,8	79,1	44,4	14 200	14 000			16,8	
18,0	77,4	43,9	13 700	13 500			18,0	
18,3	76,6	43,8	13 500	13 400	12 300	11 000	18,3	
20,0	74,6	43,1	12 800	12 700	12 200	11 000	20,0	
22,0	71,8	42,1	12 100	12 000	11 800	10 900	22,0	
24,0	68,8	41,0	11 500	11 400	11 200	10 800	24,0	
26,0	65,8	39,8	11 000	10 900	10 700	10 500	26,0	
28,0	62,7	38,4	10 500	10 400	10 200	10 100	28,0	
30,0	59,4	36,8	10 000	9 900	9 800	9 700	30,0	
32,0	56,0	35,0	9 600	9 600	9 500	9 400	32,0	
36,0	48,4	30,8	9 000	8 900	8 900	8 800	36,0	
38,1	44,0	28,0	8 700	8 700	8 600	8 600	38,1	
40,0							40,0	
41,2							41,2	
44,0							44,0	
44,2							44,2	

MLC250 S-2



83 730 kg
+
19 960 kg






25°							
 m	 °	 m	 0° kg	 1° kg	 2° kg	 3° kg	 m
10,7							10,7
12,0							12,0
12,2							12,2
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8	79,8	47,6	14 500	14 200			16,8
18,0	78,3	47,1	13 900	13 800			18,0
18,3	77,6	47,0	13 800	13 600	12 400	11 100	18,3
20,0	75,7	46,4	13 100	13 000	12 300	11 000	20,0
22,0	73,0	45,5	12 400	12 300	12 000	10 900	22,0
24,0	70,3	44,4	11 800	11 700	11 500	10 800	24,0
26,0	67,6	43,3	11 300	11 200	11 000	10 800	26,0
28,0	64,7	42,0	10 800	10 700	10 500	10 400	28,0
30,0	61,8	40,6	10 300	10 200	10 100	10 000	30,0
32,0	58,7	39,0	9 900	9 900	9 700	9 600	32,0
36,0	52,1	35,3	9 300	9 200	9 100	9 100	36,0
39,6	45,3	31,0	8 800	8 800	8 700	8 700	39,6
40,0							40,0
44,0							44,0
44,2							44,2
47,2							47,2





				
0° kg	1° kg	2° kg	3° kg	
				12,2 13,7 14,0 15,2 16,0
14 700 14 200 14 000 13 500 13 400	13 900 13 300 13 300	12 400 12 300 12 300	11 000 11 000	16,8 18,0 18,3 19,8 20,0
12 700 12 100 11 500 11 100 10 600	12 600 12 000 11 400 11 000 10 500	12 200 11 800 11 300 10 800 10 400	10 900 10 900 10 800 10 600 10 200	22,0 24,0 26,0 28,0 30,0
10 200 9 600 9 000 8 700	10 100 9 500 8 900 8 700	10 000 9 400 8 900 8 600	9 900 9 300 8 800 8 600	32,0 36,0 40,0 42,7 44,0
				47,2

MLC250 S-2




25°							
			0° 	1° 	2° 	3° 	
m	°	m	kg	kg	kg	kg	m
12,2							12,2
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3	79,3	53,4	14 300	14 100			18,3
19,8	77,2	52,9	13 700	13 600	12 300	11 000	19,8
20,0	77,4	52,8	13 600	13 500	12 300	11 000	20,0
22,0	75,1	52,1	13 000	12 800	12 200	10 900	22,0
24,0	72,8	51,2	12 400	12 200	12 000	10 900	24,0
26,0	70,4	50,2	11 800	11 700	11 500	10 800	26,0
28,0	68,0	49,1	11 300	11 200	11 100	10 800	28,0
30,0	65,5	47,9	10 900	10 800	10 600	10 500	30,0
32,0	62,9	46,6	10 500	10 400	10 300	10 100	32,0
36,0	57,5	43,6	9 800	9 700	9 600	9 500	36,0
40,0	51,7	39,8	9 300	9 200	9 100	9 000	40,0
44,0	45,2	35,2	8 800	8 700	8 700	8 600	44,0
44,2	44,8	35,0	8 800	8 700	8 700	8 600	44,2
48,0							48,0
48,8							48,8
51,8							51,8

MLC250 S-2





25°							
			0° 	1° 	2° 	3° 	
m	°	m	kg	kg	kg	kg	m
12,2							12,2
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3	79,9	56,6	14 500	14 100			18,3
19,8	78,1	56,1	13 900	13 800	12 300		19,8
20,0	78,1	56,0	13 900	13 700	12 300		20,0
21,3	76,1	55,6	13 400	13 300	12 300	10 900	21,3
22,0	76,0	55,3	13 200	13 100	12 200	10 900	22,0
24,0	73,8	54,5	12 600	12 500	12 200	10 900	24,0
26,0	71,6	53,6	12 100	12 000	11 700	10 800	26,0
28,0	69,3	52,6	11 600	11 500	11 300	10 800	28,0
30,0	67,0	51,5	11 200	11 100	10 900	10 700	30,0
32,0	64,6	50,2	10 700	10 700	10 500	10 400	32,0
36,0	59,7	47,4	10 100	10 000	9 900	9 700	36,0
40,0	54,4	44,1	9 500	9 400	9 300	9 200	40,0
44,0	48,6	40,0	9 000	9 000	8 900	8 800	44,0
47,2	43,3	35,9	8 700	8 700	8 600	8 600	47,2
48,0							48,0
51,8							51,8
52,0							52,0
54,9							54,9

MLC250 S-2







83 730 kg
+
19 960 kg






25°							
			0° 	1° 	2° 	3° 	
m	°	m	kg	kg	kg	kg	m
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3	80,5	59,8	14 700				18,3
19,8	78,2	59,3	14 100	14 000	12 300		19,8
20,0	78,8	59,2	14 100	13 900	12 300		20,0
21,3	76,7	58,8	13 600	13 500	12 300	10 900	21,3
22,0	76,7	58,5	13 400	13 300	12 200	10 900	22,0
24,0	74,7	57,8	12 800	12 700	12 200	10 900	24,0
26,0	72,6	56,9	12 300	12 200	12 000	10 800	26,0
28,0	70,4	56,0	11 800	11 700	11 500	10 800	28,0
30,0	68,3	54,9	11 400	11 300	11 100	10 800	30,0
32,0	66,1	53,8	11 000	10 900	10 700	10 600	32,0
36,0	61,5	51,2	10 300	10 200	10 100	10 000	36,0
40,0	56,6	48,1	9 700	9 600	9 500	9 400	40,0
44,0	51,4	44,4	9 200	9 200	9 100	9 000	44,0
48,0	45,6	39,9	8 800	8 800	8 700	8 700	48,0
48,8	44,4	39,0	8 700	8 700	8 700	8 600	48,8
52,0							52,0
54,9							54,9
56,0							56,0
57,9							57,9

MLC250 S-2





	 25°						
	 °	 m					
			0°  kg	1°  kg	2°  kg	3°  kg	
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3	80,9	62,9	14 800				18,3
19,8	79,1	62,5	14 300	14 000			19,8
20,0	79,3	62,4	14 300	14 000			20,0
21,3	77,7	62,0	13 900	13 700	12 200		21,3
22,0	77,4	61,8	13 600	13 500	12 200		22,0
22,9	76,1	61,4	13 400	13 200	12 200	10 900	22,9
24,0	75,5	61,0	13 100	12 900	12 200	10 900	24,0
26,0	73,5	60,2	12 500	12 400	12 100	10 800	26,0
28,0	71,5	59,3	12 100	11 900	11 700	10 800	28,0
30,0	69,4	58,4	11 600	11 500	11 300	10 800	30,0
32,0	67,4	57,3	11 200	11 100	10 900	10 800	32,0
36,0	63,1	54,9	10 500	10 400	10 300	10 200	36,0
40,0	58,6	52,0	9 900	9 900	9 700	9 600	40,0
44,0	53,8	48,6	9 400	9 400	9 300	9 200	44,0
48,0	48,6	44,6	9 000	9 000	8 900	8 700	48,0
51,8	43,1	39,9	8 500	8 200	7 800	7 500	51,8
52,0							52,0
56,0							56,0
57,9							57,9
60,0							60,0
61,0							61,0

MLC250 S-2




25°							
 m	 °	 m	 0° kg	 1° kg	 2° kg	 3° kg	 m
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3							18,3
19,8	80,0	65,6	14 500				19,8
20,0	79,8	65,6	14 400				20,0
21,3	78,4	65,2	14 000				21,3
22,0	78,0	65,0	13 800	13 900	12 200		22,0
22,9	77,1	64,6	13 600	13 400	12 200	10 900	22,9
24,0	76,2	64,3	13 300	13 100	12 200	10 900	24,0
26,0	74,3	63,5	12 700	12 600	12 100	10 800	26,0
28,0	72,4	62,7	12 300	12 200	11 900	10 800	28,0
30,0	70,5	61,7	11 800	11 700	11 500	10 800	30,0
32,0	68,5	60,7	11 400	11 300	11 200	10 800	32,0
36,0	64,5	58,5	10 700	10 600	10 500	10 400	36,0
40,0	60,3	55,8	10 100	10 100	9 900	9 800	40,0
44,0	55,9	52,7	9 600	9 600	9 500	9 400	44,0
48,0	51,2	49,0	9 200	9 100	8 900	8 500	48,0
52,0	46,0	44,6	8 300	7 900	7 600	7 200	52,0
53,3	44,1	42,9	7 800	7 500	7 200	6 800	53,3
56,0							56,0
59,4							59,4
60,0							60,0
64,0							64,0

MLC250 S-2





25°							
			0° 	1° 	2° 	3° 	
m	°	m	kg	kg	kg	kg	m
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3							18,3
19,8	80,5	68,8	14 700				19,8
20,0	80,3	68,7	14 600				20,0
21,3	78,7	68,3	14 200	13 900			21,3
22,0	78,6	68,1	14 000	13 800			22,0
22,9	77,1	67,8	13 700	13 600	12 100	10 800	22,9
24,0	76,8	67,5	13 400	13 300	12 100	10 800	24,0
26,0	75,0	66,8	12 900	12 800	12 100	10 800	26,0
28,0	73,2	66,0	12 500	12 400	12 000	10 800	28,0
30,0	71,4	65,1	12 000	11 900	11 700	10 700	30,0
32,0	69,6	64,1	11 700	11 500	11 300	10 700	32,0
36,0	65,8	62,0	10 900	10 900	10 700	10 500	36,0
40,0	61,9	59,5	10 300	10 300	10 100	10 000	40,0
44,0	57,7	56,6	9 800	9 800	9 600	9 500	44,0
48,0	53,4	53,2	9 400	9 100	8 700	8 300	48,0
52,0	48,7	49,2	8 100	7 700	7 400	7 000	52,0
56,0	43,5	44,5	6 800	6 500	6 200	5 900	56,0
56,4	43,0	43,9	6 700	6 400	6 100	5 800	56,4
60,0							60,0
62,5							62,5
64,0							64,0
67,1							67,1

MLC250 S-2





83 730 kg
+
19 960 kg



25°							
 m	 °	 m	 kg	 kg	 kg	 kg	 m
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3							18,3
19,8	80,9	71,9	14 800				19,8
20,0	80,7	71,9	14 800				20,0
21,3	79,4	71,5	14 400	13 900			21,3
22,0	79,1	71,3	14 200	13 800			22,0
22,9	78,1	71,0	13 900	13 700	12 100		22,9
24,0	77,4	70,7	13 600	13 500	12 100		24,0
24,4	76,6	70,5	13 500	13 400	12 100	10 800	24,4
26,0	75,7	70,0	13 100	13 000	12 000	10 800	26,0
28,0	74,0	69,2	12 700	12 500	12 000	10 700	28,0
30,0	72,3	68,4	12 200	12 100	11 900	10 700	30,0
32,0	70,5	67,5	11 800	11 700	11 500	10 700	32,0
36,0	66,9	65,5	11 100	11 000	10 900	10 700	36,0
40,0	63,2	63,1	10 500	10 500	10 300	10 200	40,0
44,0	59,4	60,4	10 000	9 900	9 800	9 400	44,0
48,0	55,3	57,2	9 400	8 900	8 400	8 000	48,0
52,0	51,0	53,6	7 900	7 500	7 100	6 700	52,0
56,0	46,3	49,3	6 600	6 300	6 000	5 600	56,0
57,9	43,9	46,9	6 100	5 800	5 500	5 200	57,9
60,0							60,0
64,0							64,0
65,5							65,5
68,0							68,0
70,1							70,1


MLC250 S-2



25°							
 m	 °	 m	 kg	 kg	 kg	 kg	 m
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3							18,3
19,8							19,8
20,0							20,0
21,3	80,1	74,7	14 500				21,3
22,0	79,5	74,5	14 300				22,0
22,9	78,1	74,2	14 100	13 800	12 100		22,9
24,0	77,9	73,9	13 800	13 600	12 000		24,0
24,4	76,8	73,7	13 700	13 500	12 000	10 700	24,4
26,0	76,3	73,2	13 300	13 200	12 000	10 700	26,0
28,0	74,7	72,5	12 800	12 700	12 000	10 700	28,0
30,0	73,0	71,7	12 400	12 300	11 900	10 700	30,0
32,0	71,4	70,8	12 000	11 900	11 700	10 700	32,0
36,0	68,0	68,9	11 300	11 200	11 100	10 600	36,0
40,0	64,5	66,7	10 700	10 600	10 500	10 300	40,0
44,0	60,8	64,1	10 200	10 100	9 700	9 200	44,0
48,0	57,0	61,1	9 200	8 700	8 200	7 700	48,0
52,0	53,0	57,7	7 700	7 300	6 900	6 500	52,0
56,0	48,7	53,8	6 500	6 100	5 800	5 400	56,0
60,0	44,0	49,2	5 400	5 100	4 800	4 500	60,0
61,0	42,8	48,0	5 100	4 800	4 500	4 300	61,0
64,0							64,0
67,1							67,1
68,0							68,0
72,0							72,0
73,2							73,2



Manitowoc®[illegible]

MLC250 S-2





25°							
 m	 °	 m	 0° kg	 1° kg	 2° kg	 3° kg	 m
16,8							16,8
18,0							18,0
18,3							18,3
19,8							19,8
20,0							20,0
21,3	80,8	80,9	14 800				21,3
22,0	80,3	80,8	14 600				22,0
22,9	79,1	80,5	14 400	13 700			22,9
24,0	78,9	80,2	14 100	13 700			24,0
24,4	77,8	80,1	14 000	13 600	11 900		24,4
25,9	77,1	79,6	13 600	13 500	11 900	10 600	25,9
26,0	77,4	79,6	13 600	13 500	11 900	10 600	26,0
28,0	75,9	78,9	13 200	13 100	11 900	10 600	28,0
30,0	74,4	78,2	12 800	12 600	11 900	10 600	30,0
32,0	72,9	77,4	12 400	12 300	11 800	10 500	32,0
36,0	69,8	75,7	11 700	11 600	11 400	10 500	36,0
40,0	66,6	73,7	11 100	11 000	10 800	10 400	40,0
44,0	63,3	71,3	10 600	10 000	9 300	8 700	44,0
48,0	59,9	68,7	8 900	8 300	7 800	7 200	48,0
52,0	56,4	65,7	7 400	6 900	6 500	6 000	52,0
56,0	52,7	62,3	6 100	5 700	5 300	5 000	56,0
60,0	48,7	58,4	5 000	4 700	4 300	4 000	60,0
64,0	44,4	53,9	4 000	3 700	3 500	3 200	64,0
65,5	42,7	52,0	3 700	3 400	3 200	2 900	65,5
68,0							68,0
70,1							70,1
71,6							71,6
72,0							72,0
73,2							73,2
74,7							74,7




MLC250 S-2



25°							
			0° 	1° 	2° 	3° 	
m	°	m	kg	kg	kg	kg	m
16,8							16,8
18,0							18,0
18,3							18,3
19,8							19,8
20,0							20,0
21,3							21,3
22,0							22,0
22,9	80,1	83,7	14 500				22,9
24,0	79,3	83,4	14 200				24,0
24,4	78,6	83,2	14 100	13 600			24,4
25,9	77,1	82,8	13 800	13 500	11 800	10 000	25,9
26,0	77,9	82,8	13 800	13 500	11 800	10 000	26,0
28,0	76,4	82,1	13 300	13 200	11 800	10 000	28,0
30,0	75,0	81,5	12 900	12 800	11 800	10 000	30,0
32,0	73,5	80,7	12 500	12 400	11 800	10 000	32,0
36,0	70,6	79,0	11 900	11 700	11 500	10 000	36,0
40,0	67,5	77,1	11 300	11 200	10 800	9 900	40,0
44,0	64,4	74,9	10 400	9 700	9 000	8 400	44,0
48,0	61,2	72,4	8 700	8 100	7 500	6 900	48,0
52,0	57,9	69,6	7 200	6 700	6 200	5 700	52,0
56,0	54,4	66,4	5 900	5 500	5 100	4 700	56,0
60,0	50,7	62,7	4 800	4 400	4 100	3 700	60,0
64,0	46,7	58,6	3 800	3 500	3 200	2 900	64,0
67,1	43,5	54,9	3 100	2 900	2 600	2 400	67,1
68,0							68,0
68,6							68,6
70,1							70,1
71,6							71,6
72,0							72,0
73,2							73,2

MLC250 S-2




	 25°						
							
 m	 °	 m	 kg 0°	 kg 1°	 kg 2°	 kg 3°	 m
18,3							18,3
19,8							19,8
20,0							20,0
21,3							21,3
22,0							22,0
22,9	80,4	86,8	14 600				22,9
24,0	79,7	86,5	14 400				24,0
24,4	78,8	86,4	14 300	13 500			24,4
25,9	78,1	86,0	13 900	13 500	11 700		25,9
26,0	78,3	86,0	13 900	13 500	11 700		26,0
27,4	76,6	85,5	13 600	13 400	11 700	9 100	27,4
28,0	76,9	85,3	13 500	13 300	11 700	9 100	28,0
30,0	75,5	84,7	13 100	13 000	11 700	9 100	30,0
32,0	74,1	84,0	12 700	12 600	11 700	9 100	32,0
36,0	71,3	82,3	12 000	11 900	11 600	9 100	36,0
40,0	68,4	80,5	11 400	11 200	10 600	9 100	40,0
44,0	65,4	78,4	10 300	9 500	8 800	8 100	44,0
48,0	62,3	76,0	8 500	7 900	7 300	6 700	48,0
52,0	59,2	73,3	7 000	6 500	6 000	5 500	52,0
56,0	55,9	70,3	5 700	5 300	4 800	4 400	56,0
60,0	52,4	66,9	4 600	4 200	3 900	3 500	60,0
64,0	48,7	63,0	3 600	3 300	3 000	2 700	64,0
67,1	44,9	59,6	3 000	2 700	2 400	2 100	67,1
68,0	44,8	58,6	2 800	2 500	2 200	2 000	68,0
68,6	43,4	57,9	2 700	2 400	2 100	1 900	68,6
70,1	42,6	56,0	2 400	2 100	1 900		70,1
71,6							71,6

MLC250 S-2



134
+
B10



83 730 kg
+
19 960 kg





76,2 m

15,2 m



	5°			15°			
	m	°	m	°	m	kg	m
18,3	80,4	92,3	18 600				18,3
20,0	79,3	92,0	18 400				20,0
21,3	78,4	91,7	18 200	80,1	91,3	17 000	21,3
22,0	78,0	91,6	18 100	79,7	91,1	16 900	22,0
22,9	77,1	91,4	18 000	78,6	90,9	16 900	22,9
24,0	76,7	91,1	17 900	78,4	90,6	16 800	24,0
26,0	75,4	90,6	17 600	77,1	90,1	16 600	26,0
28,0	74,1	90,0	17 400	75,8	89,5	16 500	28,0
30,0	72,8	89,3	17 200	74,4	88,9	16 300	30,0
32,0	71,5	88,7	16 900	73,1	88,2	16 100	32,0
36,0	68,8	87,1	14 000	70,4	86,7	14 600	36,0
40,0	66,1	85,4	11 400	67,7	84,9	12 000	40,0
44,0	63,3	83,4	9 400	64,8	82,9	9 900	44,0
48,0	60,4	81,2	7 800	61,9	80,7	8 200	48,0
52,0	57,4	78,7	6 400	59,0	78,2	6 700	52,0
56,0	54,4	75,9	5 200	55,9	75,3	5 500	56,0
60,0	51,2	72,7	4 200	52,7	72,2	4 400	60,0
64,0	47,8	69,2	3 300	49,3	68,6	3 500	64,0
68,0	44,3	65,2	2 500	45,7	64,6	2 700	68,0
71,6	40,9	61,1	1 800	42,3	60,5	2 000	71,6

MLC250 S-2



25°				
0°				
m	°	m	kg	m
18,3				18,3
20,0				20,0
21,3				21,3
22,0				22,0
22,9	80,8	89,9	14 800	22,9
24,0	80,0	89,7	14 500	24,0
26,0	78,7	89,1	14 000	26,0
28,0	77,4	88,5	13 600	28,0
30,0	76,1	87,9	13 200	30,0
32,0	74,7	87,2	12 800	32,0
36,0	72,0	85,6	12 200	36,0
40,0	69,2	83,9	11 600	40,0
44,0	66,3	81,9	10 300	44,0
48,0	63,4	79,6	8 500	48,0
52,0	60,4	77,0	7 000	52,0
56,0	57,2	74,2	5 800	56,0
60,0	54,0	70,9	4 700	60,0
64,0	50,5	67,3	3 700	64,0
68,0	46,9	63,2	2 800	68,0
71,6	43,3	59,0	2 100	71,6


MLC250 S-2




83 730 kg
+
19 960 kg



360°




27,4 m





18,3 m




			5°				15°						
			0°	1°	2°	3°	0°	1°	2°	3°			
			kg	kg	kg	kg	kg	kg	kg	kg			
10,7	80,4	47,3	17 700								10,7		
12,0	78,7	47,0	17 300								12,0		
12,2	77,8	46,9	17 200	14 200	12 100						12,2		
13,7	76,3	46,5	16 700	13 900	11 900	10 400	80,5	46,2	15 400		13,7		
14,0	76,1	46,5	16 600	13 800	11 800	10 400	80,2	46,1	15 300		14,0		
15,2	74,2	46,1	16 300	13 600	11 700	10 200	78,2	45,7	15 000	12 900	11 100		15,2
16,0	73,5	45,8	16 000	13 400	11 600	10 200	77,5	45,5	14 800	12 800	11 100		16,0
16,8	71,8	45,6	15 800	13 300	11 400	10 100	75,8	45,2	14 600	12 600	11 000	9 700	16,8
18,0	70,8	45,1	15 400	13 000	11 200	9 900	74,8	44,7	14 300	12 400	10 900	9 600	18,0
18,3	69,7	45,0	15 300	13 000	11 200	9 900	73,7	44,6	14 200	12 400	10 800	9 600	18,3
19,8	68,2	44,4	14 800	12 700	11 000	9 700	72,2	44,0	13 900	12 100	10 700	9 500	19,8
20,0	68,1	44,3	14 800	12 700	11 000	9 700	72,1	43,9	13 900	12 100	10 700	9 400	20,0
22,0	65,3	43,4	14 300	12 300	10 700	9 500	69,3	43,0	13 400	11 800	10 400	9 300	22,0
24,0	62,5	42,3	13 800	12 000	10 500	9 300	66,4	41,9	12 700	11 500	10 200	9 200	24,0
26,0	59,6	41,1	13 300	11 600	10 300	9 100	63,5	40,7	11 800	11 200	10 100	9 000	26,0
28,0	56,6	39,8	12 900	11 300	10 000	9 000	60,4	39,3	11 100	10 900	9 900	8 900	28,0
30,0	53,4	38,2	12 500	11 000	9 800	8 800	57,2	37,8	10 500	10 400	9 700	8 800	30,0
32,0	50,1	36,6	11 900	10 700	9 600	8 700	53,9	36,1	9 900	9 900	9 500	8 600	32,0
36,0	43,0	32,5	10 500	10 200	9 200	8 400	46,6	32,0	9 000	8 900	8 800	8 400	36,0
39,6	34,8	27,7	9 600	9 400	8 900	8 200	38,8	27,0	8 300	8 300	8 200	8 100	39,6
40,0	34,6	27,2	9 500	9 400	8 900	8 100	38,1	26,5	8 200	8 200	8 100	8 100	40,0
42,7	26,7	22,0	8 900	8 800	8 600	8 000	31,0	21,6	7 800	7 800	7 800	7 700	42,7
44,0	23,6	19,4	8 600	8 500	8 500	8 000							44,0
44,2	22,9	18,9	8 500	8 500	8 400	8 000							44,2

MLC250 S-2




[illegible]

MLC250 S-2






	 25°							
	 m	 °	 m					
				0°  kg	1°  kg	2°  kg		3°  kg
10,7 12,0 12,2 13,7 14,0							10,7 12,0 12,2 13,7 14,0	
15,2 16,0 16,8 18,0 18,3	79,3	47,0	11 800	11 600			15,2 16,0 16,8 18,0 18,3	
19,8 20,0 22,0 24,0 26,0	77,2 77,1 74,5 71,8 69,0	46,4 46,3 45,4 44,4 43,3	11 200 11 100 10 500 9 900 9 400	11 100 11 000 10 400 9 800 9 300	10 300 10 300 10 100 9 600 9 200	9 200 9 200 9 100 9 000 8 900	19,8 20,0 22,0 24,0 26,0	
28,0 30,0 32,0 36,0 40,0	66,1 63,2 60,1 53,5 46,0	42,0 40,6 39,0 35,3 30,4	9 000 8 600 8 200 7 600 7 100	8 900 8 500 8 100 7 500 7 100	8 700 8 400 8 000 7 500 7 000	8 600 8 200 7 900 7 400 7 000	28,0 30,0 32,0 36,0 40,0	
41,2 44,0 44,2 47,2	43,5	28,8	7 000	6 900	6 900	6 900	41,2 44,0 44,2 47,2	

MLC250 S-2






25°							
0°		1°		2°		3°	
m	°	m	kg	kg	kg	kg	m
12,2							12,2
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3	80,0	50,2	12 000	11 700			18,3
19,8	77,4	49,6	11 400	11 300	10 300		19,8
20,0	77,9	49,6	11 400	11 200	10 300		20,0
21,3	75,7	49,0	11 000	10 800	10 200	9 200	21,3
22,0	75,5	48,7	10 700	10 600	10 200	9 100	22,0
24,0	73,0	47,8	10 200	10 100	9 800	9 000	24,0
26,0	70,4	46,7	9 700	9 600	9 400	9 000	26,0
28,0	67,8	45,6	9 200	9 100	9 000	8 800	28,0
30,0	65,1	44,3	8 800	8 700	8 600	8 500	30,0
32,0	62,3	42,8	8 500	8 400	8 300	8 100	32,0
36,0	56,4	39,5	7 800	7 800	7 700	7 600	36,0
40,0	49,8	35,3	7 300	7 300	7 200	7 200	40,0
44,0	42,2	29,9	6 900	6 900	6 900	6 800	44,0
44,2	41,8	29,6	6 900	6 900	6 800	6 800	44,2
47,2							47,2
48,0							48,0
50,3							50,3

MLC250 S-2






 25°							
 m	 °	 m	 kg	 kg	 kg	 kg	 m
12,2							12,2
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3	80,6	53,4	12 200				18,3
19,8	78,2	52,8	11 600	11 500	10 400		19,8
20,0	78,7	52,8	11 600	11 400	10 300		20,0
21,3	76,7	52,3	11 200	11 000	10 300	9 100	21,3
22,0	76,4	52,0	11 000	10 800	10 200	9 100	22,0
24,0	74,0	51,1	10 400	10 300	10 000	9 100	24,0
26,0	71,6	50,1	9 900	9 800	9 600	9 000	26,0
28,0	69,2	49,1	9 500	9 400	9 200	8 900	28,0
30,0	66,7	47,9	9 100	9 000	8 800	8 700	30,0
32,0	64,2	46,6	8 700	8 600	8 500	8 400	32,0
36,0	58,8	43,5	8 100	8 000	7 900	7 800	36,0
40,0	52,9	39,8	7 600	7 500	7 400	7 300	40,0
44,0	46,4	35,1	7 100	7 100	7 000	7 000	44,0
45,7	43,2	32,8	7 000	6 900	6 900	6 900	45,7
48,0							48,0
50,3							50,3
52,0							52,0
53,3							53,3

MLC250 S-2




25°							
 m	 °	 m	 0° kg	 1° kg	 2° kg	 3° kg	 m
12,2							12,2
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3							18,3
19,8	79,5	56,0	11 800	11 700			19,8
20,0	79,3	56,0	11 800	11 600			20,0
21,3	77,7	55,5	11 400	11 200	10 300	9 200	21,3
22,0	77,1	55,2	11 200	11 000	10 200	9 200	22,0
24,0	75,0	54,4	10 600	10 500	10 100	9 100	24,0
26,0	72,7	53,5	10 100	10 000	9 800	9 000	26,0
28,0	70,5	52,5	9 700	9 600	9 400	9 000	28,0
30,0	68,1	51,4	9 300	9 200	9 000	8 800	30,0
32,0	65,8	50,2	8 900	8 800	8 700	8 600	32,0
36,0	60,8	47,4	8 300	8 200	8 100	8 000	36,0
40,0	55,5	44,0	7 800	7 700	7 600	7 500	40,0
44,0	49,7	39,9	7 300	7 300	7 200	7 200	44,0
48,0	43,1	34,8	7 000	6 900	6 900	6 900	48,0
48,8	41,7	33,6	6 900	6 900	6 800	6 800	48,8
52,0							52,0
53,3							53,3
56,0							56,0
56,4							56,4




MLC250 S-2






25°							
			0° 	1° 	2° 	3° 	
m	°	m	kg	kg	kg	kg	m
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3							18,3
19,8	80,1	59,2	12 000				19,8
20,0	79,9	59,2	11 900				20,0
21,3	77,7	58,7	11 500	11 400	10 300		21,3
22,0	77,8	58,5	11 300	11 200	10 300		22,0
22,9	76,1	58,1	11 100	11 000	10 200	9 100	22,9
24,0	75,8	57,7	10 800	10 700	10 100	9 100	24,0
26,0	73,7	56,8	10 300	10 200	10 000	9 000	26,0
28,0	71,6	55,9	9 900	9 800	9 600	9 000	28,0
30,0	69,4	54,9	9 500	9 400	9 200	8 900	30,0
32,0	67,2	53,7	9 100	9 000	8 900	8 700	32,0
36,0	62,6	51,1	8 500	8 400	8 300	8 200	36,0
40,0	57,7	48,0	8 000	7 900	7 800	7 700	40,0
44,0	52,5	44,3	7 500	7 500	7 400	7 300	44,0
48,0	46,7	39,8	7 200	7 100	7 000	7 000	48,0
50,3	43,0	36,8	7 000	6 900	6 900	6 900	50,3
52,0							52,0
54,9							54,9
56,0							56,0
57,9							57,9

MLC250 S-2



	 25°							
	 m	 °	 m					
				 0° kg	 1° kg	 2° kg		 3° kg
13,7							13,7	
14,0							14,0	
15,2							15,2	
16,0							16,0	
16,8							16,8	
18,0							18,0	
18,3							18,3	
19,8	80,6	62,4	12 200				19,8	
20,0	80,4	62,3	12 100				20,0	
21,3	78,7	61,9	11 700	11 600			21,3	
22,0	78,5	61,7	11 500	11 400			22,0	
22,9	77,1	61,3	11 300	11 100	10 200	9 100	22,9	
24,0	76,5	60,9	11 000	10 900	10 200	9 100	24,0	
26,0	74,5	60,1	10 500	10 400	10 100	9 000	26,0	
28,0	72,5	59,2	10 100	10 000	9 800	9 000	28,0	
30,0	70,5	58,3	9 700	9 600	9 400	8 900	30,0	
32,0	68,4	57,2	9 300	9 200	9 100	8 900	32,0	
36,0	64,1	54,8	8 700	8 600	8 500	8 400	36,0	
40,0	59,6	51,9	8 200	8 100	8 000	7 900	40,0	
44,0	54,8	48,5	7 700	7 600	7 600	7 500	44,0	
48,0	49,6	44,5	7 300	7 300	7 200	7 100	48,0	
51,8	44,1	39,8	7 000	7 000	6 900	6 900	51,8	
52,0							52,0	
56,0							56,0	
57,9							57,9	
60,0							60,0	
61,0							61,0	

MLC250 S-2




25°							
			0° 	1° 	2° 	3° 	
m	°	m	kg	kg	kg	kg	m
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3							18,3
19,8	81,0	65,5	12 300				19,8
20,0	80,8	65,5	12 300				20,0
21,3	79,4	65,1	11 900	11 600			21,3
22,0	79,0	64,9	11 700	11 500			22,0
22,9	78,1	64,5	11 400	11 300	10 200		22,9
24,0	77,2	64,2	11 200	11 000	10 200		24,0
24,4	76,6	64,0	11 100	10 900	10 200	9 100	24,4
26,0	75,3	63,4	10 700	10 600	10 100	9 000	26,0
28,0	73,4	62,6	10 300	10 100	9 900	9 000	28,0
30,0	71,5	61,6	9 900	9 800	9 600	8 900	30,0
32,0	69,5	60,6	9 500	9 400	9 200	8 900	32,0
36,0	65,5	58,4	8 900	8 800	8 700	8 500	36,0
40,0	61,3	55,7	8 300	8 300	8 100	8 000	40,0
44,0	56,9	52,5	7 900	7 800	7 700	7 600	44,0
48,0	52,1	48,9	7 500	7 400	7 400	7 300	48,0
52,0	46,9	44,5	7 200	7 100	7 100	7 000	52,0
54,9	42,9	40,8	7 000	6 900	6 900	6 800	54,9
56,0							56,0
60,0							60,0
61,0							61,0
64,0							64,0

MLC250 S-2






83 730 kg
+
19 960 kg






25°							
m	°	m	0° kg	1° kg	2° kg	3° kg	m
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3							18,3
19,8							19,8
20,0							20,0
21,3	80,1	68,2	12 000				21,3
22,0	79,5	68,0	11 800				22,0
22,9	78,1	67,7	11 600	11 500	10 200		22,9
24,0	77,8	67,4	11 300	11 200	10 200		24,0
24,4	76,6	67,2	11 200	11 100	10 200	9 100	24,4
26,0	76,0	66,7	10 800	10 700	10 100	9 000	26,0
28,0	74,2	65,9	10 400	10 300	10 000	9 000	28,0
30,0	72,4	65,0	10 000	9 900	9 700	8 900	30,0
32,0	70,5	64,0	9 700	9 600	9 400	8 900	32,0
36,0	66,7	61,9	9 100	9 000	8 800	8 700	36,0
40,0	62,8	59,4	8 500	8 400	8 300	8 200	40,0
44,0	58,7	56,5	8 100	8 000	7 900	7 800	44,0
48,0	54,3	53,0	7 700	7 600	7 500	7 400	48,0
52,0	49,6	49,1	7 300	7 300	7 200	7 100	52,0
56,0	44,4	44,3	7 000	6 900	6 700	6 400	56,0
56,4	43,8	43,8	7 000	6 800	6 600	6 300	56,4
60,0							60,0
62,5							62,5
64,0							64,0
67,1							67,1

MLC250 S-2






			5°				15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
15,2	80,4	74,3	16 900										15,2
16,0	79,8	74,2	16 800										16,0
16,8	78,6	74,0	16 600	13 700									16,8
18,0	78,2	73,7	16 400	13 500									18,0
18,3	77,7	73,7	16 400	13 500	11 500	9 900	80,5	73,2	15 000				18,3
19,8	76,2	73,3	16 100	13 300	11 400	9 900	79,1	72,8	14 800	12 600			19,8
20,0	76,6	73,3	16 100	13 300	11 400	9 900	79,1	72,8	14 700	12 500			20,0
21,3	74,7	72,9	15 800	13 100	11 200	9 800	77,7	72,4	14 600	12 400	10 700	9 500	21,3
22,0	75,0	72,7	15 700	13 000	11 200	9 800	77,5	72,2	14 500	12 400	10 700	9 400	22,0
22,9	73,6	72,4	15 600	12 900	11 100	9 700	76,1	72,0	14 300	12 300	10 600	9 400	22,9
24,0	73,3	72,1	15 400	12 800	11 000	9 700	75,8	71,6	14 200	12 200	10 600	9 300	24,0
24,4	72,6	71,9	15 300	12 800	11 000	9 600	74,8	71,5	14 100	12 200	10 600	9 300	24,4
26,0	71,7	71,4	15 000	12 600	10 900	9 500	74,1	70,9	13 900	12 100	10 500	9 300	26,0
28,0	70,0	70,7	14 700	12 400	10 700	9 400	72,5	70,2	13 700	11 900	10 400	9 200	28,0
30,0	68,3	69,9	14 400	12 200	10 600	9 300	70,8	69,4	13 400	11 700	10 300	9 100	30,0
32,0	66,6	69,0	14 000	12 000	10 400	9 200	69,0	68,5	13 200	11 500	10 200	9 100	32,0
36,0	63,1	67,0	13 500	11 600	10 100	9 000	65,5	66,5	12 400	11 200	10 000	8 900	36,0
40,0	59,5	64,7	12 800	11 300	9 900	8 800	61,9	64,2	11 400	10 900	9 800	8 800	40,0
44,0	55,7	62,0	10 900	10 300	9 700	8 600	58,1	61,5	10 600	10 600	9 600	8 700	44,0
48,0	51,8	59,0	9 200	8 800	8 300	7 900	54,1	58,4	9 600	9 100	8 600	8 200	48,0
52,0	47,6	55,4	7 900	7 500	7 100	6 700	49,8	54,8	8 200	7 700	7 400	7 000	52,0
56,0	43,1	51,3	6 700	6 300	6 000	5 700	45,3	50,6	6 900	6 600	6 300	5 900	56,0
59,4	38,7	47,1	5 800	5 500	5 200	5 000	40,7	46,4	6 000	5 700	5 400	5 200	59,4
60,0	38,1	46,4	5 700	5 400	5 100	4 900	40,3	45,7	5 800	5 600	5 300	5 000	60,0
64,0	32,5	40,5	4 800	4 500	4 300	4 100	34,6	39,6	4 900	4 700	4 500	4 200	64,0
65,5	29,3	37,6	4 400	4 200	4 000	3 800	32,1	36,9	4 600	4 400	4 200	4 000	65,5
68,0	25,8	33,0	4 000	3 800	3 600	3 400							68,0
70,1	21,5	27,9	3 600	3 400	3 300	3 100							70,1




MLC250 S-2



25°							
 m	 °	 m	 0° kg	 1° kg	 2° kg	 3° kg	 m
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3							18,3
19,8							19,8
20,0							20,0
21,3	80,6	71,4	12 100				21,3
22,0	80,0	71,2	11 900				22,0
22,9	78,6	70,9	11 700	11 500			22,9
24,0	78,3	70,6	11 500	11 300			24,0
24,4	77,6	70,4	11 400	11 200	10 100	9 100	24,4
26,0	76,6	69,9	11 000	10 900	10 100	9 000	26,0
28,0	74,9	69,1	10 600	10 500	10 000	8 900	28,0
30,0	73,2	68,3	10 200	10 100	9 900	8 900	30,0
32,0	71,4	67,4	9 900	9 700	9 600	8 900	32,0
36,0	67,8	65,4	9 200	9 100	9 000	8 800	36,0
40,0	64,1	63,0	8 700	8 600	8 500	8 400	40,0
44,0	60,3	60,3	8 200	8 100	8 000	7 900	44,0
48,0	56,2	57,1	7 800	7 700	7 700	7 600	48,0
52,0	51,8	53,4	7 500	7 400	7 300	7 200	52,0
56,0	47,1	49,1	7 100	6 800	6 500	6 200	56,0
59,4	42,7	44,8	6 200	5 900	5 600	5 300	59,4
60,0							60,0
64,0							64,0
65,5							65,5
68,0							68,0
70,1							70,1

MLC250 S-2



	 25°						 m	
	 m	 °	 m					
				 0° kg	 1° kg	 2° kg		 3° kg
15,2							15,2	
16,0							16,0	
16,8							16,8	
18,0							18,0	
18,3							18,3	
19,8							19,8	
20,0							20,0	
21,3	80,9	74,5	12 300				21,3	
22,0	80,4	74,4	12 100				22,0	
22,9	79,1	74,1	11 900	11 500			22,9	
24,0	78,8	73,8	11 600	11 400			24,0	
24,4	77,8	73,6	11 500	11 300	10 100		24,4	
25,9	77,1	73,1	11 200	11 000	10 100	9 000	25,9	
26,0	77,2	73,1	11 200	11 000	10 100	9 000	26,0	
28,0	75,6	72,4	10 700	10 600	10 000	8 900	28,0	
30,0	73,9	71,6	10 400	10 300	9 900	8 900	30,0	
32,0	72,2	70,7	10 000	9 900	9 700	8 900	32,0	
36,0	68,8	68,8	9 400	9 300	9 100	8 800	36,0	
40,0	65,3	66,6	8 900	8 800	8 600	8 500	40,0	
44,0	61,7	64,0	8 400	8 300	8 200	8 100	44,0	
48,0	57,9	61,0	8 000	7 900	7 800	7 700	48,0	
52,0	53,8	57,6	7 600	7 500	7 400	7 000	52,0	
56,0	49,5	53,6	6 900	6 600	6 200	5 900	56,0	
60,0	44,8	49,0	5 800	5 500	5 200	4 900	60,0	
61,0	43,6	47,8	5 500	5 300	5 000	4 700	61,0	
64,0							64,0	
68,0							68,0	
68,6							68,6	
72,0							72,0	
73,2							73,2	




18,3 m

				
0° kg	1° kg	2° kg	3° kg	
				16,8 18,0 18,3 19,8 20,0
12 000 11 700 11 600	11 400	10 100		21,3 22,0 22,9 24,0 24,4
11 300 11 300 10 900 10 500 10 200	11 200 11 200 10 800 10 400 10 100	10 100 10 100 10 000 9 900 9 800	8 900 8 900 8 900 8 900 8 800	25,9 26,0 28,0 30,0 32,0
9 600 9 000 8 600 8 100 7 800	9 400 8 900 8 500 8 000 7 600	9 300 8 800 8 300 7 900 7 100	8 800 8 600 8 200 7 800 6 700	36,0 40,0 44,0 48,0 52,0





				
0° kg	1° kg	2° kg	3° kg	
				16,8 18,0 18,3 19,8 20,0
12 100 11 900 11 800	11 400			21,3 22,0 22,9 24,0 24,4
11 400 11 400 11 200 11 000 10 700	11 300 11 300 11 000 10 900 10 500	10 000 10 000 10 000 10 000 9 900	8 900 8 900 8 900	25,9 26,0 27,4 28,0 30,0
10 300 9 700 9 200 8 700 8 300	10 200 9 600 9 100 8 600 8 200	9 900 9 400 8 900 8 500 8 100	8 800 8 800 8 700 8 400 7 700	32,0 36,0 40,0 44,0 48,0

MLC250 S-2





25°							
 m	 °	 m	 kg	 kg	 kg	 kg	 m
16,8							16,8
18,0							18,0
18,3							18,3
19,8							19,8
20,0							20,0
21,3							21,3
22,0							22,0
22,9	80,9	83,6	12 200				22,9
24,0	80,1	83,2	12 000				24,0
24,4	79,6	83,1	11 900	11 400			24,4
25,9	78,1	82,7	11 600	11 300	10 000		25,9
26,0	78,7	82,7	11 600	11 300	10 000		26,0
27,4	77,3	82,2	11 300	11 100	9 900	8 800	27,4
28,0	77,2	82,0	11 200	11 000	9 900	8 800	28,0
30,0	75,8	81,3	10 800	10 700	9 900	8 800	30,0
32,0	74,3	80,6	10 500	10 300	9 800	8 800	32,0
36,0	71,3	78,9	9 900	9 700	9 500	8 700	36,0
40,0	68,3	77,0	9 300	9 200	9 000	8 700	40,0
44,0	65,2	74,8	8 800	8 700	8 600	8 500	44,0
48,0	62,0	72,3	8 400	8 300	8 000	7 500	48,0
52,0	58,6	69,4	7 700	7 200	6 700	6 300	52,0
56,0	55,1	66,2	6 400	6 000	5 600	5 200	56,0
60,0	51,4	62,5	5 300	4 900	4 600	4 300	60,0
64,0	47,4	58,4	4 300	4 000	3 700	3 400	64,0
68,0	43,2	53,6	3 400	3 200	2 900	2 700	68,0
68,6	42,5	52,8	3 300	3 100	2 800	2 600	68,6
71,6							71,6
72,0							72,0
73,2							73,2
74,7							74,7
76,0							76,0
76,2							76,2

MLC250 S-2







25°							
 m	 °	 m	 kg	 kg	 kg	 kg	 m
18,3							18,3
19,8							19,8
20,0							20,0
21,3							21,3
22,0							22,0
22,9							22,9
24,0							24,0
24,4							24,4
25,9	80,2	86,3	12 000	11 300			25,9
26,0	79,1	85,9	11 700	11 300			26,0
27,4	77,6	85,4	11 400	11 200	9 900		27,4
28,0	77,7	85,2	11 300	11 100	9 900		28,0
29,0	76,5	84,9	11 100	11 000	9 900	8 200	29,0
30,0	76,3	84,5	10 900	10 800	9 800	8 200	30,0
32,0	74,9	83,8	10 600	10 500	9 800	8 200	32,0
36,0	72,0	82,2	10 000	9 900	9 600	8 200	36,0
40,0	69,1	80,4	9 500	9 300	9 200	8 200	40,0
44,0	66,2	78,3	9 000	8 900	8 700	8 200	44,0
48,0	63,1	75,9	8 600	8 300	7 800	7 200	48,0
52,0	59,9	73,2	7 500	6 900	6 400	6 000	52,0
56,0	56,6	70,1	6 200	5 700	5 300	4 900	56,0
60,0	53,1	66,7	5 100	4 700	4 300	4 000	60,0
64,0	49,4	62,8	4 100	3 800	3 400	3 100	64,0
68,0	45,5	58,4	3 200	2 900	2 700	2 400	68,0
68,6	44,4	57,7	3 100	2 800	2 600	2 300	68,6
70,1	43,3	55,8	2 800	2 500	2 300	2 100	70,1
71,6							71,6
72,0							72,0
73,2							73,2
74,7							74,7






MLC250 S-2



25°							
 m	 °	 m	 kg	 kg	 kg	 kg	 m
18,3							18,3
19,8							19,8
20,0							20,0
21,3							21,3
22,0							22,0
22,9							22,9
24,0							24,0
24,4							24,4
25,9	80,5	89,4	12 100	11 200			25,9
26,0	79,1	89,0	11 800	11 200			26,0
	79,4	89,0	11 800	11 200			
27,4	78,3	88,6	11 500	11 200	9 800		27,4
28,0	78,1	88,4	11 400	11 100	9 800		28,0
29,0	77,0	88,1	11 200	11 000	9 800	7 500	29,0
30,0	76,8	87,8	11 100	10 900	9 800	7 500	30,0
32,0	75,4	87,1	10 700	10 600	9 700	7 500	32,0
36,0	72,7	85,5	10 100	10 000	9 700	7 500	36,0
40,0	69,9	83,7	9 600	9 500	9 300	7 500	40,0
44,0	67,1	81,7	9 100	9 000	8 900	7 500	44,0
48,0	64,1	79,4	8 600	8 200	7 500	7 000	48,0
52,0	61,1	76,9	7 300	6 700	6 200	5 700	52,0
56,0	57,9	74,0	6 000	5 500	5 100	4 700	56,0
60,0	54,7	70,8	4 900	4 500	4 100	3 700	60,0
64,0	51,2	67,1	3 900	3 600	3 200	2 900	64,0
67,1	47,9	64,0	3 200	2 900	2 600	2 400	67,1
68,0	47,6	63,0	3 000	2 800	2 500	2 200	68,0
68,6	46,4	62,3	2 900	2 600	2 400	2 100	68,6
70,1	44,9	60,5	2 600	2 400	2 100	1 800	70,1
71,6	43,4	58,7	2 300	2 100	1 800		71,6
72,0	43,6	58,3	2 300	2 000			72,0
73,2	42,4	56,8	2 100	1 800			73,2

MLC250 S-2




$$\begin{array}{r} 83\,730\text{ kg} \\ + \\ 19\,960\text{ kg} \end{array}$$


	 5°			 15°					
									
			0° 			0° 			
	m	°	m	kg	°	m	kg		m
18,3	80,7	95,5	15 900					18,3	
20,0	79,7	95,1	15 700					20,0	
21,3	78,4	94,9	15 600	80,8	94,4	14 500		21,3	
22,0	78,4	94,7	15 500	80,4	94,2	14 400		22,0	
24,0	77,2	94,2	15 300	79,1	93,8	14 200		24,0	
24,4	76,6	94,1	15 200	78,6	93,6	14 200		24,4	
26,0	75,9	93,7	15 000	77,9	93,2	14 000		26,0	
28,0	74,7	93,2	14 800	76,6	92,7	13 800		28,0	
30,0	73,4	92,6	14 600	75,3	92,1	13 600		30,0	
32,0	72,1	91,9	14 400	74,0	91,4	13 500		32,0	
36,0	69,5	90,4	13 800	71,4	89,9	13 100		36,0	
40,0	66,9	88,8	11 600	68,8	88,2	12 200		40,0	
44,0	64,2	86,9	9 600	66,1	86,3	10 100		44,0	
48,0	61,5	84,7	7 900	63,3	84,2	8 400		48,0	
52,0	58,6	82,3	6 500	60,5	81,8	6 900		52,0	
56,0	55,7	79,7	5 300	57,5	79,1	5 700		56,0	
60,0	52,7	76,7	4 300	54,5	76,1	4 600		60,0	
64,0	49,5	73,3	3 400	51,3	72,7	3 700		64,0	
68,0	46,2	69,6	2 600	47,9	68,9	2 900		68,0	
71,6	43,0	65,8	2 000	44,3	65,1	2 200		71,6	
72,0				44,4	64,7	2 100		72,0	
73,2				43,3	63,3	2 000		73,2	
74,7								74,7	

MLC250 S-2








83 730 kg
+
19 960 kg






25°				
0°				
m	°	m	kg	m
18,3				18,3
20,0				20,0
21,3				21,3
22,0				22,0
24,0				24,0
24,4	80,8	92,6	12 200	24,4
26,0	79,8	92,1	11 900	26,0
28,0	78,5	91,6	11 500	28,0
30,0	77,2	90,9	11 200	30,0
32,0	75,9	90,3	10 800	32,0
36,0	73,3	88,8	10 200	36,0
40,0	70,6	87,1	9 700	40,0
44,0	67,9	85,1	9 300	44,0
48,0	65,1	83,0	8 700	48,0
52,0	62,2	80,5	7 300	52,0
56,0	59,2	77,8	6 100	56,0
60,0	56,1	74,7	4 900	60,0
64,0	52,8	71,3	4 000	64,0
68,0	49,4	67,4	3 100	68,0
71,6	45,4	63,5	2 400	71,6
72,0	45,8	63,1	2 300	72,0
73,2	44,1	61,7	2 100	73,2
74,7	43,2	59,8	1 900	74,7





MLC250 S-2






		 25°							
		 m	 °	 m					
					0°  kg	1°  kg	2°  kg		3°  kg
12,2								12,2	
13,7								13,7	
14,0								14,0	
15,2								15,2	
16,0								16,0	
16,8								16,8	
18,0								18,0	
18,3								18,3	
19,8	80,9	47,2	10 500					19,8	
20,0	78,2	46,6	10 300	9 100	8 100			20,0	
	78,7	46,5	10 300	9 100	8 100				
21,3	76,7	45,9	9 900	8 900	8 000	7 200	21,3		
22,0	76,0	45,6	9 700	8 900	7 900	7 200	22,0		
24,0	73,3	44,6	9 100	8 700	7 800	7 100	24,0		
26,0	70,6	43,5	8 500	8 400	7 700	6 900	26,0		
28,0	67,8	42,2	8 100	7 900	7 500	6 800	28,0		
30,0	64,8	40,9	7 600	7 500	7 400	6 700	30,0		
32,0	61,8	39,3	7 300	7 200	7 100	6 700	32,0		
36,0	55,2	35,6	6 600	6 600	6 500	6 400	36,0		
40,0	47,8	30,9	6 100	6 100	6 000	6 000	40,0		
42,7	42,0	26,9	5 900	5 800	5 800	5 800	42,7		
44,0							44,0		
45,7							45,7		
47,2							47,2		

MLC250 S-2






25°							
							
 m	 °	 m	0°  kg	1°  kg	2°  kg	3°  kg	 m
12,2							12,2
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3							18,3
19,8	79,6	49,8	10 400	9 100			19,8
20,0	79,4	49,7	10 300	9 100			20,0
21,3	77,1	49,2	10 100	9 000	8 000	7 200	21,3
22,0	77,0	48,9	9 900	8 900	8 000	7 200	22,0
24,0	74,5	48,0	9 300	8 700	7 800	7 100	24,0
26,0	71,9	46,9	8 800	8 600	7 700	7 000	26,0
28,0	69,3	45,8	8 300	8 200	7 600	6 900	28,0
30,0	66,6	44,5	7 900	7 800	7 500	6 800	30,0
32,0	63,8	43,1	7 500	7 400	7 300	6 700	32,0
36,0	58,0	39,8	6 900	6 800	6 700	6 600	36,0
40,0	51,5	35,7	6 400	6 300	6 200	6 200	40,0
44,0	44,0	30,4	5 900	5 900	5 900	5 800	44,0
44,2	43,6	30,1	5 900	5 900	5 800	5 800	44,2
48,0							48,0
48,8							48,8
50,3							50,3

MLC250 S-2





25°							
 m	 °	 m	 0° kg	 1° kg	 2° kg	 3° kg	 m
12,2							12,2
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3							18,3
19,8	80,3	53,0	10 400				19,8
20,0	80,0	52,9	10 400				20,0
21,3	78,1	52,4	10 200	9 000	8 000		21,3
22,0	77,7	52,1	10 100	9 000	8 000		22,0
22,9	76,1	51,8	9 800	8 900	7 900	7 200	22,9
24,0	75,4	51,3	9 500	8 800	7 900	7 100	24,0
26,0	73,0	50,3	9 000	8 600	7 800	7 000	26,0
28,0	70,6	49,3	8 600	8 400	7 600	6 900	28,0
30,0	68,1	48,1	8 100	8 000	7 500	6 900	30,0
32,0	65,6	46,8	7 700	7 600	7 400	6 800	32,0
36,0	60,2	43,8	7 100	7 000	6 900	6 600	36,0
40,0	54,4	40,1	6 600	6 500	6 400	6 400	40,0
44,0	48,0	35,5	6 100	6 100	6 000	6 000	44,0
47,2	41,9	30,9	5 900	5 800	5 800	5 700	47,2
48,0							48,0
50,3							50,3
52,0							52,0
53,3							53,3

MLC250 S-2





25°							
			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	m
12,2							12,2
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3							18,3
19,8	80,8	56,2	10 500				19,8
20,0	80,6	56,1	10 500				20,0
21,3	78,7	55,6	10 300	9 100			21,3
22,0	78,4	55,4	10 200	9 000			22,0
22,9	77,1	55,0	10 000	8 900	8 000	7 200	22,9
24,0	76,3	54,6	9 800	8 900	7 900	7 200	24,0
26,0	74,0	53,7	9 200	8 700	7 800	7 100	26,0
28,0	71,8	52,7	8 800	8 500	7 700	7 000	28,0
30,0	69,5	51,6	8 300	8 200	7 600	6 900	30,0
32,0	67,1	50,4	8 000	7 800	7 500	6 800	32,0
36,0	62,2	47,6	7 300	7 200	7 100	6 700	36,0
40,0	56,9	44,3	6 800	6 700	6 600	6 500	40,0
44,0	51,2	40,2	6 300	6 300	6 200	6 100	44,0
48,0	44,7	35,2	6 000	5 900	5 900	5 800	48,0
48,8	43,3	34,1	5 900	5 900	5 800	5 800	48,8
52,0							52,0
53,3							53,3
56,0							56,0
56,4							56,4

MLC250 S-2




25°							
 m	 °	 m	 kg	 kg	 kg	 kg	 m
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3							18,3
19,8							19,8
20,0							20,0
21,3	79,8	58,8	10 400	9 100			21,3
22,0	79,1	58,6	10 300	9 100			22,0
22,9	78,1	58,2	10 100	9 000	8 000		22,9
24,0	77,0	57,8	9 900	8 900	7 900		24,0
24,4	76,4	57,7	9 800	8 900	7 900	7 200	24,4
26,0	74,9	57,0	9 400	8 800	7 800	7 100	26,0
28,0	72,8	56,0	9 000	8 600	7 700	7 000	28,0
30,0	70,6	55,0	8 600	8 400	7 600	6 900	30,0
32,0	68,4	53,9	8 200	8 000	7 500	6 900	32,0
36,0	63,9	51,3	7 500	7 400	7 300	6 700	36,0
40,0	59,0	48,3	7 000	6 900	6 800	6 600	40,0
44,0	53,8	44,6	6 500	6 400	6 400	6 300	44,0
48,0	48,1	40,2	6 100	6 100	6 000	6 000	48,0
51,8	41,8	34,9	5 800	5 800	5 800	5 700	51,8
52,0							52,0
56,0							56,0
56,4							56,4
59,4							59,4

MLC250 S-2






25°							
 m	 °	 m	 0° kg	 1° kg	 2° kg	 3° kg	 m
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3							18,3
19,8							19,8
20,0							20,0
21,3	80,3	62,0	10 400				21,3
22,0	79,6	61,8	10 300				22,0
22,9	78,1	61,4	10 200	9 000	8 000		22,9
24,0	77,7	61,1	10 100	8 900	8 000		24,0
24,4	76,6	60,9	10 000	8 900	7 900	7 200	24,4
26,0	75,7	60,3	9 600	8 800	7 900	7 100	26,0
28,0	73,7	59,4	9 200	8 700	7 800	7 000	28,0
30,0	71,7	58,4	8 700	8 500	7 700	7 000	30,0
32,0	69,6	57,4	8 400	8 200	7 600	6 900	32,0
36,0	65,4	55,0	7 700	7 600	7 400	6 800	36,0
40,0	60,9	52,1	7 200	7 100	7 000	6 700	40,0
44,0	56,1	48,8	6 700	6 600	6 500	6 500	44,0
48,0	50,9	44,8	6 300	6 300	6 200	6 100	48,0
52,0	45,2	39,9	6 000	5 900	5 900	5 900	52,0
53,3	43,1	38,1	5 900	5 900	5 800	5 800	53,3
56,0							56,0
59,4							59,4
60,0							60,0
62,5							62,5

MLC250 S-2



[illegible]

MLC250 S-2



25°							
m		°		m		kg	
0°		1°		2°		3°	
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3							18,3
19,8							19,8
20,0							20,0
21,3							21,3
22,0							22,0
22,9	79,8	67,8	10 300	9 100			22,9
24,0	78,8	67,5	10 200	9 000			24,0
24,4	77,8	67,3	10 200	9 000	8 000		24,4
25,9	77,1	66,8	10 000	8 900	7 900	7 100	25,9
26,0	77,1	66,8	9 900	8 900	7 900	7 100	26,0
28,0	75,3	66,0	9 500	8 700	7 800	7 100	28,0
30,0	73,5	65,1	9 100	8 600	7 700	7 000	30,0
32,0	71,6	64,2	8 700	8 500	7 600	6 900	32,0
36,0	67,8	62,0	8 100	7 900	7 500	6 800	36,0
40,0	63,9	59,6	7 500	7 400	7 300	6 700	40,0
44,0	59,8	56,7	7 100	7 000	6 900	6 600	44,0
48,0	55,4	53,3	6 600	6 600	6 500	6 400	48,0
52,0	50,7	49,3	6 300	6 200	6 200	6 100	52,0
56,0	45,6	44,7	6 000	6 000	5 900	5 900	56,0
59,4	40,6	39,8	5 800	5 800	5 700	5 700	59,4
60,0							60,0
64,0							64,0
68,0							68,0
68,6							68,6

MLC250 S-2





25°							
 m	 °	 m	 0° kg	 1° kg	 2° kg	 3° kg	 m
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3							18,3
19,8							19,8
20,0							20,0
21,3							21,3
22,0							22,0
22,9	80,3	71,0	10 400				22,9
24,0	79,3	70,7	10 300				24,0
24,4	78,6	70,5	10 200	9 000			24,4
25,9	77,1	70,0	10 100	8 900	7 900	7 100	25,9
26,0	77,6	70,0	10 100	8 900	7 900	7 100	26,0
28,0	75,9	69,2	9 700	8 800	7 800	7 100	28,0
30,0	74,2	68,4	9 300	8 700	7 800	7 000	30,0
32,0	72,5	67,5	8 900	8 600	7 700	6 900	32,0
36,0	68,9	65,5	8 200	8 100	7 500	6 800	36,0
40,0	65,2	63,2	7 700	7 600	7 400	6 700	40,0
44,0	61,3	60,4	7 200	7 100	7 000	6 700	44,0
48,0	57,2	57,3	6 800	6 700	6 600	6 500	48,0
52,0	52,9	53,7	6 500	6 400	6 300	6 300	52,0
56,0	48,3	49,4	6 200	6 100	6 000	6 000	56,0
60,0	43,1	44,4	5 900	5 900	5 800	5 700	60,0
61,0	41,8	43,0	5 800	5 800	5 700	5 500	61,0
64,0							64,0
67,1							67,1
68,0							68,0
70,1							70,1

MLC250 S-2







83 730 kg
+
19 960 kg




			5°				15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
15,2	80,9	77,5	13 300										15,2
16,0	80,3	77,4	13 300										16,0
16,8	79,2	77,2	13 300	10 600									16,8
18,0	78,8	76,9	13 200	10 600									18,0
18,3	77,9	76,9	13 200	10 600	8 500								18,3
19,8	77,1	76,5	12 900	10 600	8 500	7 100	80,2	76,1	11 800				19,8
20,0	77,2	76,5	12 900	10 600	8 500	7 100	80,1	76,0	11 800				20,0
21,3	75,7	76,1	12 700	10 500	8 500	7 100	78,7	75,7	11 600	9 900			21,3
22,0	75,7	76,0	12 600	10 500	8 500	7 100	78,5	75,5	11 500	9 900			22,0
22,9	74,6	75,7	12 400	10 400	8 500	7 100	77,1	75,2	11 400	9 800	8 600	7 200	22,9
24,0	74,1	75,4	12 300	10 400	8 500	7 100	76,9	74,9	11 300	9 700	8 500	7 200	24,0
24,4	73,6	75,3	12 200	10 300	8 400	7 100	75,8	74,8	11 300	9 700	8 500	7 200	24,4
25,9	72,1	74,8	12 000	10 200	8 400	7 000	75,1	74,3	11 100	9 600	8 400	7 200	25,9
26,0	72,5	74,7	12 000	10 200	8 400	7 000	75,3	74,3	11 100	9 600	8 400	7 200	26,0
27,4	70,6	74,3	11 800	10 000	8 400	7 000	73,6	73,8	10 900	9 400	8 300	7 200	27,4
28,0	70,9	74,0	11 700	10 000	8 400	7 000	73,7	73,6	10 900	9 400	8 300	7 200	28,0
30,0	69,3	73,3	11 500	9 800	8 300	7 000	72,1	72,8	10 700	9 200	8 200	7 200	30,0
32,0	67,7	72,4	11 200	9 600	8 300	7 000	70,5	72,0	10 500	9 100	8 100	7 200	32,0
36,0	64,4	70,6	10 700	9 200	8 100	6 900	67,1	70,1	10 100	8 800	7 900	7 100	36,0
40,0	60,9	68,4	10 300	8 900	7 900	6 900	63,7	67,9	9 700	8 600	7 700	6 900	40,0
44,0	57,4	65,9	9 800	8 600	7 600	6 900	60,1	65,4	9 400	8 300	7 500	6 800	44,0
48,0	53,7	63,1	9 300	8 300	7 400	6 700	56,4	62,5	9 000	8 100	7 300	6 600	48,0
52,0	49,8	59,8	8 100	7 700	7 200	6 500	52,5	59,2	8 400	7 900	7 100	6 500	52,0
56,0	45,7	56,1	6 900	6 500	6 200	5 900	48,3	55,4	7 200	6 800	6 500	6 200	56,0
60,0	41,2	51,7	5 900	5 600	5 300	5 000	43,8	51,0	6 100	5 800	5 500	5 300	60,0
64,0	36,3	46,5	5 000	4 700	4 500	4 300	38,8	45,7	5 200	4 900	4 700	4 500	64,0
68,0	30,7	40,2	4 200	4 000	3 800	3 600	33,0	39,3	4 300	4 100	3 900	3 700	68,0
70,1	26,3	36,0	3 800	3 600	3 500	3 300	29,6	35,3	3 900	3 800	3 600	3 400	70,1
72,0	23,9	32,1	3 500	3 300	3 200	3 000							72,0
73,2	21,6	29,2	3 300	3 100	3 000	2 800							73,2

MLC250 S-2





	 25°																													
	 m	 °	 m																											
				0°  kg	1°  kg	2°  kg		3°  kg																						
15,2	16,0	16,8	18,0	18,3	19,8	20,0	21,3	22,0	22,9	24,0	24,4	25,9	26,0	27,4	28,0	30,0	32,0	36,0	40,0	44,0	48,0	52,0	56,0	60,0	64,0	68,0	70,1	72,0	73,2	
																									</					

MLC250 S-2



83 730 kg
+
19 960 kg






		5°						15°						
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m	
16,8	80,1	80,3	13 300										16,8	
18,0	79,2	80,1	13 200										18,0	
18,3	78,7	80,0	13 200	10 500	8 500								18,3	
19,8	77,2	79,7	12 900	10 500	8 400	7 100	80,6	79,2	11 800				19,8	
20,0	77,7	79,6	12 900	10 500	8 400	7 000	80,4	79,2	11 800				20,0	
21,3	76,4	79,3	12 700	10 400	8 400	7 000	78,7	78,8	11 700	9 900			21,3	
22,0	76,2	79,1	12 600	10 400	8 400	7 000	78,9	78,7	11 600	9 900			22,0	
22,9	75,1	78,9	12 500	10 400	8 400	7 000	77,6	78,4	11 500	9 800	8 500		22,9	
24,0	74,7	78,6	12 300	10 400	8 400	7 000	77,4	78,1	11 300	9 700	8 500		24,0	
24,4	73,8	78,4	12 300	10 300	8 400	7 000	76,6	78,0	11 300	9 700	8 500	7 100	24,4	
25,9	73,1	78,0	12 100	10 200	8 400	7 000	75,1	77,5	11 200	9 600	8 400	7 100	25,9	
26,0	73,2	78,0	12 000	10 200	8 400	7 000	75,9	77,5	11 200	9 600	8 400	7 100	26,0	
27,4	71,6	77,5	11 900	10 100	8 300	7 000	74,3	77,0	11 000	9 500	8 400	7 100	27,4	
28,0	71,7	77,3	11 800	10 000	8 300	7 000	74,4	76,8	10 900	9 400	8 300	7 100	28,0	
30,0	70,1	76,6	11 500	9 800	8 300	6 900	72,8	76,1	10 700	9 300	8 200	7 100	30,0	
32,0	68,6	75,8	11 300	9 600	8 200	6 900	71,3	75,3	10 500	9 100	8 100	7 100	32,0	
36,0	65,4	74,0	10 800	9 300	8 200	6 900	68,1	73,5	10 200	8 900	7 900	7 100	36,0	
40,0	62,2	71,9	10 400	9 000	7 900	6 900	64,8	71,4	9 800	8 600	7 700	6 900	40,0	
44,0	58,8	69,6	10 000	8 700	7 700	6 800	61,4	69,0	9 500	8 400	7 500	6 800	44,0	
48,0	55,3	66,9	9 200	8 400	7 500	6 700	57,9	66,3	9 200	8 200	7 400	6 700	48,0	
52,0	51,7	63,8	7 800	7 400	6 900	6 500	54,2	63,2	8 200	7 700	7 200	6 600	52,0	
56,0	47,8	60,3	6 600	6 200	5 900	5 600	50,3	59,7	7 000	6 600	6 200	5 900	56,0	
60,0	43,7	56,3	5 600	5 300	5 000	4 700	46,2	55,6	5 900	5 600	5 300	5 000	60,0	
64,0	39,3	51,6	4 700	4 400	4 200	3 900	41,7	50,9	4 900	4 700	4 400	4 200	64,0	
65,5	37,1	49,5	4 400	4 200	3 900	3 700	39,1	48,7	4 600	4 400	4 100	3 900	65,5	
68,0	34,3	46,1	3 900	3 700	3 500	3 300	36,7	45,2	4 100	3 900	3 700	3 500	68,0	
71,6	28,6	39,9	3 300	3 100	2 900	2 700	31,4	39,0	3 400	3 200	3 100	2 900	71,6	
72,0	28,6	39,3	3 200	3 000	2 900	2 700							72,0	
76,0	21,5	30,3	2 600	2 400	2 300	2 200							76,0	
76,2	21,1	29,8	2 500	2 400	2 300	2 100							76,2	



21,3 m



				
0° kg	1° kg	2° kg	3° kg	
				16,8 18,0 18,3 19,8 20,0
				21,3 22,0 22,9 24,0 24,4
10 300	9 000			
10 200	8 900	7 900		25,9
10 200	8 900	7 900		26,0
10 000	8 800	7 900	7 100	27,4
9 900	8 800	7 800	7 100	28,0
9 600	8 700	7 800	7 000	30,0
9 200	8 600	7 700	7 000	32,0
8 600	8 400	7 600	6 900	36,0
8 000	7 900	7 500	6 800	40,0
7 500	7 400	7 300	6 700	44,0

MLC250 S-2




25°							
 m	 °	 m	 kg	 kg	 kg	 kg	 m
16,8							16,8
18,0							18,0
18,3							18,3
19,8							19,8
20,0							20,0
21,3							21,3
22,0							22,0
22,9							22,9
24,0							24,0
24,4	80,3	80,0	10 300				24,4
25,9	79,1	79,6	10 200	8 900			25,9
26,0	79,1	79,5	10 200	8 900			26,0
27,4	77,6	79,1	10 100	8 800	7 900		27,4
28,0	77,6	78,9	10 000	8 800	7 800		28,0
29,0	76,5	78,5	9 900	8 800	7 800	7 000	29,0
30,0	76,1	78,2	9 700	8 700	7 800	7 000	30,0
32,0	74,6	77,4	9 400	8 600	7 700	6 900	32,0
36,0	71,5	75,7	8 700	8 500	7 600	6 900	36,0
40,0	68,3	73,7	8 200	8 000	7 500	6 800	40,0
44,0	65,0	71,4	7 700	7 500	7 300	6 700	44,0
48,0	61,7	68,7	7 300	7 100	7 000	6 600	48,0
52,0	58,1	65,8	6 900	6 800	6 700	6 600	52,0
56,0	54,4	62,4	6 600	6 500	6 300	5 900	56,0
60,0	50,4	58,5	6 000	5 600	5 300	5 000	60,0
64,0	46,2	54,0	5 000	4 700	4 400	4 100	64,0
68,0	41,5	48,8	4 100	3 900	3 600	3 400	68,0
68,6	40,8	47,9	4 000	3 800	3 500	3 300	68,6
72,0							72,0
74,7							74,7
76,0							76,0
76,2							76,2
77,7							77,7
79,3							79,3

MLC250 S-2




25°							
 m	 °	 m	 0° kg	 1° kg	 2° kg	 3° kg	 m
16,8							16,8
18,0							18,0
18,3							18,3
19,8							19,8
20,0							20,0
21,3							21,3
22,0							22,0
22,9							22,9
24,0							24,0
24,4	80,7	83,2	10 300				24,4
25,9	79,1	82,7	10 200	8 900			25,9
26,0	79,5	82,7	10 200	8 900			26,0
27,4	78,3	82,3	10 100	8 900	7 900		27,4
28,0	78,1	82,1	10 100	8 800	7 800		28,0
29,0	77,0	81,7	9 900	8 800	7 800	7 000	29,0
30,0	76,6	81,4	9 800	8 700	7 800	7 000	30,0
32,0	75,2	80,7	9 500	8 700	7 700	6 900	32,0
36,0	72,2	79,0	8 900	8 500	7 600	6 900	36,0
40,0	69,2	77,1	8 300	8 100	7 500	6 800	40,0
44,0	66,1	74,9	7 800	7 700	7 400	6 700	44,0
48,0	62,8	72,4	7 400	7 300	7 200	6 600	48,0
52,0	59,5	69,6	7 000	6 900	6 800	6 500	52,0
56,0	56,0	66,4	6 700	6 500	6 100	5 700	56,0
60,0	52,3	62,8	5 800	5 400	5 100	4 700	60,0
64,0	48,4	58,6	4 800	4 500	4 200	3 900	64,0
68,0	44,1	53,9	3 900	3 700	3 400	3 200	68,0
70,1	41,7	51,0	3 500	3 300	3 000	2 800	70,1
72,0							72,0
74,7							74,7
76,0							76,0
76,2							76,2
77,7							77,7

MLC250 S-2





25°							
 m	 °	 m	 kg	 kg	 kg	 kg	 m
18,3							18,3
19,8							19,8
20,0							20,0
21,3							21,3
22,0							22,0
22,9							22,9
24,0							24,0
24,4	81,0	86,3	10 300				24,4
25,9	79,1	85,9	10 200	8 900			25,9
26,0	79,9	85,9	10 200	8 900			26,0
27,4	78,3	85,4	10 100	8 800	7 800		27,4
28,0	78,5	85,3	10 100	8 800	7 800		28,0
29,0	77,5	84,9	10 000	8 800	7 800	7 000	29,0
30,0	77,1	84,6	9 900	8 700	7 800	7 000	30,0
32,0	75,7	83,9	9 600	8 600	7 700	6 900	32,0
36,0	72,9	82,3	9 000	8 500	7 600	6 800	36,0
40,0	70,0	80,5	8 400	8 300	7 500	6 800	40,0
44,0	67,0	78,4	8 000	7 800	7 400	6 700	44,0
48,0	63,9	76,0	7 500	7 400	7 300	6 600	48,0
52,0	60,8	73,3	7 200	7 100	6 900	6 500	52,0
56,0	57,5	70,3	6 700	6 300	5 900	5 500	56,0
60,0	54,0	66,9	5 600	5 200	4 900	4 500	60,0
64,0	50,3	63,1	4 600	4 300	4 000	3 700	64,0
68,0	46,4	58,7	3 800	3 500	3 200	3 000	68,0
71,6	42,4	54,1	3 100	2 800	2 600	2 400	71,6
72,0	42,1	53,6	3 000	2 700	2 500	2 300	72,0
73,2	40,8	52,0	2 800	2 500	2 300	2 100	73,2
74,7							74,7
76,0							76,0
76,2							76,2
77,7							77,7

MLC250 S-2





83 730 kg
+
19 960 kg



25°							
 m	 °	 m					 m
			0°	1°	2°	3°	
18,3							18,3
19,8							19,8
20,0							20,0
21,3							21,3
22,0							22,0
22,9							22,9
24,0							24,0
24,4							24,4
25,9	80,3	89,1	10 200				25,9
26,0	80,3	89,0	10 200				26,0
27,4	78,6	88,6	10 100	8 800			27,4
28,0	78,9	88,4	10 100	8 800			28,0
29,0	77,5	88,1	10 000	8 800	7 800		29,0
30,0	77,6	87,8	10 000	8 700	7 700		30,0
30,5	76,8	87,6	9 900	8 700	7 700	6 600	30,5
32,0	76,2	87,1	9 700	8 700	7 700	6 600	32,0
36,0	73,5	85,6	9 100	8 500	7 600	6 600	36,0
40,0	70,7	83,8	8 600	8 300	7 400	6 600	40,0
44,0	67,9	81,8	8 100	7 900	7 400	6 600	44,0
48,0	64,9	79,6	7 700	7 500	7 300	6 600	48,0
52,0	61,9	77,0	7 300	7 100	6 800	6 300	52,0
56,0	58,8	74,2	6 500	6 100	5 600	5 200	56,0
60,0	55,5	71,0	5 400	5 000	4 600	4 300	60,0
64,0	52,1	67,3	4 400	4 100	3 700	3 400	64,0
68,0	48,4	63,3	3 500	3 200	3 000	2 700	68,0
70,1	45,9	60,8	3 100	2 900	2 600	2 300	70,1
71,6	44,4	59,0	2 800	2 600	2 300	2 100	71,6
72,0	44,5	58,6	2 800	2 500	2 300	2 000	72,0
73,2	42,7	57,1	2 600	2 300	2 100	1 800	73,2
74,7	41,7	55,1	2 300	2 100	1 800		74,7
76,0							76,0
76,2							76,2

MLC250 S-2





	 25°							 m
	 m	 o	 m					
				 0° kg	 1° kg	 2° kg	 3° kg	
18,3								18,3
19,8								19,8
20,0								20,0
21,3								21,3
22,0								22,0
22,9								22,9
24,0								24,0
24,4								24,4
25,9	80,6	92,2	10 200					25,9
26,0	80,6	92,2	10 200					26,0
27,4	79,3	91,8	10 100	8 800				27,4
28,0	79,3	91,6	10 100	8 800				28,0
29,0	78,5	91,3	10 000	8 700	7 700			29,0
30,0	78,0	91,0	10 000	8 700	7 700			30,0
30,5	77,5	90,8	9 900	8 700	7 700	6 100		30,5
32,0	76,7	90,3	9 800	8 600	7 600	6 100		32,0
36,0	74,1	88,9	9 200	8 500	7 600	6 100		36,0
40,0	71,4	87,2	8 700	8 400	7 500	6 100		40,0
44,0	68,7	85,2	8 200	8 100	7 400	6 100		44,0
48,0	65,9	83,1	7 800	7 700	7 300	6 100		48,0
52,0	63,0	80,6	7 400	7 100	6 500	6 000		52,0
56,0	60,0	77,9	6 400	5 900	5 400	5 000		56,0
60,0	56,9	74,9	5 200	4 800	4 400	4 000		60,0
64,0	53,6	71,5	4 200	3 900	3 500	3 200		64,0
68,0	50,2	67,7	3 400	3 100	2 800	2 500		68,0
68,6	49,4	67,0	3 300	3 000	2 700	2 400		68,6
70,1	47,9	65,4	3 000	2 700	2 400	2 100		70,1
71,6	46,4	63,7	2 700	2 400	2 100	1 900		71,6
72,0	46,6	63,3	2 600	2 300	2 100			72,0
73,2	44,9	61,9	2 400	2 100	1 900			73,2
74,7	43,3	60,0	2 100	1 900				74,7
76,0	42,7	58,4	1 900					76,0
76,2	42,5	58,1	1 900					76,2

MLC250 S-2





83 730 kg
+
19 960 kg




	5°			15°			
	m	°	m	kg	°	m	kg
19,8	80,2	98,3	12 800				19,8
20,0	80,1	98,3	12 800				20,0
22,0	78,9	97,9	12 600				22,0
22,9	77,6	97,7	12 500	80,6	97,2	11 500	22,9
24,0	77,7	97,5	12 400	79,9	97,0	11 400	24,0
25,9	76,1	97,0	12 200	78,1	96,5	11 200	25,9
26,0	76,4	97,0	12 200	78,6	96,5	11 200	26,0
28,0	75,2	96,4	12 000	77,4	95,9	11 000	28,0
30,0	74,0	95,9	11 700	76,2	95,4	10 900	30,0
32,0	72,8	95,2	11 500	75,0	94,7	10 700	32,0
36,0	70,3	93,8	11 200	72,5	93,3	10 400	36,0
40,0	67,8	92,2	10 800	69,9	91,7	10 100	40,0
44,0	65,2	90,4	9 800	67,3	89,9	9 900	44,0
48,0	62,5	88,4	8 100	64,7	87,8	8 700	48,0
52,0	59,8	86,1	6 700	61,9	85,6	7 200	52,0
56,0	57,0	83,6	5 500	59,1	83,0	6 000	56,0
60,0	54,2	80,8	4 500	56,2	80,2	4 900	60,0
64,0	51,2	77,6	3 600	53,2	77,0	4 000	64,0
68,0	48,1	74,1	2 800	50,1	73,5	3 100	68,0
72,0	44,8	70,2	2 100	46,8	69,5	2 400	72,0
73,2	43,8	69,0	1 900	45,1	68,3	2 200	73,2
74,7				44,4	66,6	1 900	74,7
76,0							76,0
76,2							76,2

MLC250 S-2



25°				
0°				
m	°	m	kg	m
19,8				19,8
20,0				20,0
22,0				22,0
22,9				22,9
24,0				24,0
25,9	80,9	95,3	10 200	25,9
26,0	80,9	95,3	10 200	26,0
28,0	79,7	94,8	10 100	28,0
30,0	78,4	94,2	10 000	30,0
32,0	77,2	93,5	9 900	32,0
36,0	74,6	92,1	9 400	36,0
40,0	72,0	90,5	8 800	40,0
44,0	69,4	88,6	8 300	44,0
48,0	66,7	86,6	7 900	48,0
52,0	63,9	84,2	7 500	52,0
56,0	61,1	81,6	6 400	56,0
60,0	58,2	78,7	5 300	60,0
64,0	55,1	75,5	4 300	64,0
68,0	51,9	71,9	3 400	68,0
72,0	48,5	67,9	2 600	72,0
73,2	46,9	66,5	2 400	73,2
74,7	45,3	64,8	2 200	74,7
76,0	44,8	63,3	1 900	76,0
76,2	44,6	63,0	1 900	76,2

MLC250 S-2



25°							
0°		25°				0°	
m	°	m	kg	kg	kg	kg	m
12,2							12,2
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3							18,3
19,8	80,5	49,9	8 800				19,8
20,0	80,3	49,8	8 800				20,0
21,3	78,1	49,3	8 600	7 500	6 700		21,3
22,0	77,9	49,0	8 500	7 500	6 700		22,0
22,9	76,1	48,6	8 400	7 400	6 600	5 600	22,9
24,0	75,4	48,1	8 200	7 300	6 600	5 600	24,0
26,0	72,8	47,0	7 800	7 100	6 400	5 600	26,0
28,0	70,2	45,9	7 300	6 900	6 300	5 600	28,0
30,0	67,6	44,6	6 900	6 700	6 100	5 600	30,0
32,0	64,8	43,2	6 600	6 400	6 000	5 500	32,0
36,0	58,9	39,9	5 900	5 800	5 700	5 300	36,0
40,0	52,5	35,8	5 400	5 400	5 300	5 200	40,0
44,0	45,0	30,6	5 000	5 000	4 900	4 900	44,0
45,7	41,3	27,8	4 900	4 800	4 800	4 800	45,7
48,0							48,0
48,8							48,8
50,3							50,3


MLC250 S-2



83 730 kg
+
19 960 kg



360°





30,5 m






24,4 m



5°							15°						
0°							0°						
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
12,2	80,1	56,4	11 200	8 500	6 800								12,2
13,7	78,3	56,1	11 100	8 400	6 700								13,7
14,0	78,2	56,0	11 000	8 400	6 700	5 600							14,0
15,2	76,8	55,7	10 900	8 400	6 700	5 500							15,2
16,0	76,0	55,5	10 700	8 400	6 700	5 500							16,0
16,8	74,8	55,3	10 600	8 300	6 700	5 500	79,8	55,0	10 200	8 400			16,8
18,0	73,9	54,9	10 400	8 300	6 600	5 500	78,4	54,6	10 000	8 300			18,0
18,3	72,7	54,8	10 400	8 300	6 600	5 500	77,7	54,5	9 900	8 300	6 700		18,3
19,8	71,2	54,3	10 200	8 200	6 600	5 500	76,2	54,0	9 700	8 300	6 700	5 500	19,8
20,0	71,7	54,3	10 100	8 200	6 600	5 500	76,2	53,9	9 600	8 300	6 700	5 500	20,0
21,3	69,7	53,8	9 900	8 100	6 600	5 400	74,1	53,4	9 400	8 200	6 700	5 500	21,3
22,0	69,4	53,5	9 800	8 100	6 600	5 400	73,9	53,2	9 300	8 100	6 700	5 500	22,0
22,9	68,1	53,1	9 700	8 100	6 500	5 400	72,1	52,8	9 200	8 000	6 600	5 500	22,9
24,0	67,2	52,7	9 500	8 100	6 500	5 400	71,7	52,3	9 000	7 900	6 600	5 500	24,0
26,0	64,9	51,8	9 300	8 000	6 500	5 400	69,3	51,4	8 700	7 600	6 600	5 500	26,0
28,0	62,5	50,7	9 000	7 800	6 400	5 400	67,0	50,3	8 400	7 400	6 600	5 500	28,0
30,0	60,1	49,6	8 600	7 600	6 400	5 300	64,5	49,2	8 100	7 200	6 500	5 500	30,0
32,0	57,6	48,3	8 300	7 300	6 300	5 300	62,1	47,9	7 900	7 000	6 300	5 500	32,0
36,0	52,5	45,4	7 800	6 900	6 200	5 300	56,9	45,0	7 400	6 700	6 000	5 500	36,0
40,0	46,9	41,9	7 300	6 500	5 900	5 200	51,2	41,4	7 000	6 300	5 800	5 300	40,0
44,0	40,8	37,6	6 800	6 100	5 600	5 100	45,0	37,1	6 500	6 000	5 600	5 100	44,0
48,0	33,7	32,1	6 400	5 800	5 300	4 900	37,8	31,5	6 000	5 800	5 300	4 900	48,0
48,8	31,3	30,7	6 400	5 800	5 300	4 900	35,4	30,1	5 900	5 800	5 300	4 900	48,8
51,8	24,4	25,0	6 100	5 600	5 100	4 700	29,2	24,3	5 500	5 500	5 200	4 900	51,8
52,0	24,9	24,7	6 100	5 600	5 100	4 700							52,0
53,3	21,1	21,4	6 000	5 500	5 100	4 700							53,3





MLC250 S-2



	 25°							
	 m	 °	 m					
				0°  kg	1°  kg	2°  kg		3°  kg
12,2							12,2	
13,7							13,7	
14,0							14,0	
15,2							15,2	
16,0							16,0	
16,8							16,8	
18,0							18,0	
18,3							18,3	
19,8							19,8	
20,0							20,0	
21,3	79,4	52,5	8 600	7 600			21,3	
22,0	78,6	52,2	8 600	7 500			22,0	
22,9	77,1	51,9	8 400	7 500	6 700	5 500	22,9	
24,0	76,3	51,4	8 300	7 400	6 600	5 500	24,0	
26,0	73,9	50,4	8 000	7 200	6 500	5 500	26,0	
28,0	71,5	49,4	7 500	7 000	6 300	5 500	28,0	
30,0	69,0	48,2	7 100	6 800	6 200	5 500	30,0	
32,0	66,5	46,9	6 800	6 600	6 100	5 500	32,0	
36,0	61,1	43,9	6 100	6 000	5 900	5 400	36,0	
40,0	55,4	40,2	5 600	5 600	5 500	5 200	40,0	
44,0	48,9	35,7	5 200	5 200	5 100	5 100	44,0	
48,0	41,3	29,9	4 900	4 800	4 800	4 800	48,0	
48,8	39,7	28,5	4 800	4 800	4 800	4 700	48,8	
51,8							51,8	
52,0							52,0	
53,3							53,3	

MLC250 S-2



	 25°							
	 m	 °	 m					
				0°  kg	1°  kg	2°  kg		3°  kg
12,2							12,2	
13,7							13,7	
14,0							14,0	
15,2							15,2	
16,0							16,0	
16,8							16,8	
18,0							18,0	
18,3							18,3	
19,8							19,8	
20,0							20,0	
21,3	80,0	55,7	8 700	7 600			21,3	
22,0	79,3	55,5	8 600	7 600			22,0	
22,9	78,1	55,1	8 500	7 500	6 700		22,9	
24,0	77,1	54,7	8 400	7 400	6 600		24,0	
24,4	76,4	54,5	8 300	7 400	6 600	5 600	24,4	
26,0	74,9	53,8	8 100	7 300	6 500	5 600	26,0	
28,0	72,6	52,8	7 800	7 100	6 400	5 600	28,0	
30,0	70,3	51,7	7 300	6 900	6 300	5 600	30,0	
32,0	67,9	50,5	7 000	6 800	6 200	5 600	32,0	
36,0	63,0	47,7	6 400	6 200	5 900	5 400	36,0	
40,0	57,8	44,4	5 800	5 700	5 700	5 300	40,0	
44,0	52,0	40,4	5 400	5 300	5 300	5 200	44,0	
48,0	45,6	35,4	5 000	5 000	5 000	4 900	48,0	
50,3	41,3	31,9	4 900	4 800	4 800	4 800	50,3	
52,0							52,0	
54,9							54,9	
56,0							56,0	
56,4							56,4	

MLC250 S-2




83 730 kg
+
19 960 kg



25°							
 m	 °	 m	 kg	 kg	 kg	 kg	 m
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3							18,3
19,8							19,8
20,0							20,0
21,3	80,5	58,9	8 800				21,3
22,0	79,8	58,7	8 700				22,0
22,9	78,1	58,3	8 600	7 600	6 700		22,9
24,0	77,8	57,9	8 500	7 500	6 700		24,0
24,4	76,6	57,7	8 400	7 400	6 600	5 500	24,4
26,0	75,7	57,1	8 200	7 300	6 600	5 500	26,0
28,0	73,6	56,1	7 900	7 200	6 400	5 500	28,0
30,0	71,4	55,1	7 500	7 000	6 300	5 500	30,0
32,0	69,2	54,0	7 200	6 900	6 200	5 500	32,0
36,0	64,7	51,4	6 500	6 400	6 000	5 500	36,0
40,0	59,8	48,4	6 000	5 900	5 800	5 300	40,0
44,0	54,6	44,7	5 600	5 500	5 400	5 200	44,0
48,0	48,9	40,3	5 200	5 200	5 100	5 100	48,0
52,0	42,4	34,8	4 900	4 900	4 800	4 800	52,0
53,3	39,9	32,6	4 800	4 800	4 800	4 700	53,3
56,0							56,0
56,4							56,4
59,4							59,4

MLC250 S-2



25°							
			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	m
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3							18,3
19,8							19,8
20,0							20,0
21,3	81,0	62,1	8 800				21,3
22,0	80,4	61,9	8 700				22,0
22,9	79,1	61,5	8 600	7 600			22,9
24,0	78,4	61,1	8 500	7 500			24,0
24,4	77,6	61,0	8 500	7 500	6 600		24,4
25,9	76,1	60,4	8 300	7 400	6 600	5 500	25,9
26,0	76,5	60,3	8 300	7 400	6 600	5 500	26,0
28,0	74,5	59,5	8 100	7 200	6 500	5 500	28,0
30,0	72,4	58,5	7 700	7 100	6 400	5 500	30,0
32,0	70,4	57,4	7 400	6 900	6 300	5 500	32,0
36,0	66,1	55,0	6 700	6 600	6 100	5 500	36,0
40,0	61,6	52,2	6 200	6 100	5 900	5 400	40,0
44,0	56,9	48,9	5 800	5 700	5 600	5 300	44,0
48,0	51,7	44,9	5 400	5 300	5 300	5 200	48,0
52,0	46,0	40,1	5 100	5 000	5 000	4 900	52,0
54,9	41,3	35,9	4 900	4 800	4 800	4 800	54,9
56,0							56,0
59,4							59,4
60,0							60,0
62,5							62,5





				
0° kg	1° kg	2° kg	3° kg	
				13,7 14,0 15,2 16,0 16,8
				18,0 18,3 19,8 20,0 21,3
8 700 8 600 8 500 8 400	7 500 7 400	6 600 6 600	5 500	22,0 22,9 24,0 24,4 25,9
8 400 8 200 7 900 7 500 6 900 6 400	7 400 7 300 7 100 7 000 6 700 6 300	6 600 6 500 6 400 6 300 6 100 5 900	5 500 5 500 5 500 5 500 5 500 5 500	26,0 28,0 30,0 32,0 36,0 40,0

MLC250 S-2

[illegible]



MLC250 S-2




25°							
			0° 	1° 	2° 	3° 	
m	°	m	kg	kg	kg	kg	m
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3							18,3
19,8							19,8
20,0							20,0
21,3							21,3
22,0							22,0
22,9	80,9	71,1	8 800				22,9
24,0	80,0	70,7	8 700				24,0
24,4	78,8	70,6	8 600	7 600			24,4
25,9	78,1	70,1	8 500	7 500	6 600		25,9
26,0	78,3	70,0	8 500	7 500	6 600		26,0
27,4	76,6	69,5	8 300	7 400	6 600	5 500	27,4
28,0	76,6	69,3	8 300	7 300	6 600	5 500	28,0
30,0	74,9	68,5	8 100	7 200	6 500	5 500	30,0
32,0	73,1	67,6	7 800	7 100	6 400	5 500	32,0
36,0	69,5	65,6	7 200	6 900	6 200	5 500	36,0
40,0	65,8	63,2	6 700	6 600	6 000	5 500	40,0
44,0	62,0	60,5	6 200	6 100	5 900	5 400	44,0
48,0	57,9	57,4	5 800	5 800	5 700	5 300	48,0
52,0	53,6	53,7	5 500	5 400	5 400	5 200	52,0
56,0	48,9	49,5	5 200	5 200	5 100	5 100	56,0
60,0	43,8	44,4	5 000	4 900	4 900	4 900	60,0
62,5	40,2	40,8	4 800	4 800	4 800	4 700	62,5
64,0							64,0
67,1							67,1
68,0							68,0
71,6							71,6

MLC250 S-2




	 25°						 m	
	 m	 °	 m					
				0°  kg	1°  kg	2°  kg		3°  kg
15,2							15,2	
16,0							16,0	
16,8							16,8	
18,0							18,0	
18,3							18,3	
19,8							19,8	
20,0							20,0	
21,3							21,3	
22,0							22,0	
22,9							22,9	
24,0							24,0	
24,4	80,1	73,8	8 700				24,4	
25,9	78,1	73,3	8 500	7 500	6 500		25,9	
26,0	78,8	73,2	8 500	7 500	6 500		26,0	
27,4	77,3	72,7	8 400	7 400	6 500	5 400	27,4	
28,0	77,2	72,5	8 300	7 400	6 500	5 400	28,0	
30,0	75,5	71,7	8 200	7 300	6 500	5 400	30,0	
32,0	73,8	70,9	8 000	7 100	6 400	5 400	32,0	
36,0	70,4	69,0	7 400	6 900	6 300	5 400	36,0	
40,0	66,9	66,8	6 800	6 700	6 100	5 400	40,0	
44,0	63,3	64,2	6 400	6 300	5 900	5 400	44,0	
48,0	59,5	61,3	6 000	5 900	5 800	5 300	48,0	
52,0	55,5	57,9	5 600	5 600	5 500	5 200	52,0	
56,0	51,2	54,0	5 300	5 300	5 200	5 100	56,0	
60,0	46,6	49,4	5 100	5 000	5 000	5 000	60,0	
64,0	41,4	44,0	4 900	4 800	4 800	4 800	64,0	
65,5	39,2	41,6	4 800	4 800	4 700	4 700	65,5	
68,0							68,0	
70,1							70,1	
72,0							72,0	
74,7							74,7	




MLC250 S-2




	 25°						
	 α	 β					
	m	m	0° 	1° 	2° 	3° 	m
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3							18,3
19,8							19,8
20,0							20,0
21,3							21,3
22,0							22,0
22,9							22,9
24,0							24,0
24,4	80,5	76,9	8 700				24,4
25,9	79,1	76,4	8 600	7 500			25,9
26,0	79,2	76,4	8 500	7 500			26,0
27,4	77,6	75,9	8 400	7 400	6 500		27,4
28,0	77,7	75,7	8 400	7 400	6 500		28,0
29,0	76,5	75,4	8 300	7 300	6 500	5 400	29,0
30,0	76,1	75,0	8 200	7 300	6 500	5 400	30,0
32,0	74,5	74,2	8 100	7 200	6 400	5 400	32,0
36,0	71,3	72,4	7 500	7 000	6 300	5 400	36,0
40,0	68,0	70,3	7 000	6 800	6 100	5 400	40,0
44,0	64,5	67,8	6 500	6 400	6 000	5 400	44,0
48,0	60,9	65,1	6 100	6 000	5 800	5 400	48,0
52,0	57,2	61,9	5 800	5 700	5 600	5 300	52,0
56,0	53,2	58,3	5 500	5 400	5 300	5 200	56,0
60,0	48,9	54,1	5 200	5 200	5 100	5 100	60,0
64,0	44,3	49,2	5 000	4 900	4 900	4 800	64,0
67,1	40,3	44,8	4 800	4 700	4 400	4 200	67,1
68,0							68,0
72,0							72,0
73,2							73,2
76,0							76,0
77,7							77,7

MLC250 S-2








	 25°						
							
 m	 °	 m	0°  kg	1°  kg	2°  kg	3°  kg	 m
16,8							16,8
18,0							18,0
18,3							18,3
19,8							19,8
20,0							20,0
21,3							21,3
22,0							22,0
22,9							22,9
24,0							24,0
24,4	80,9	80,1	8 700				24,4
25,9	79,1	79,6	8 600	7 500			25,9
26,0	79,7	79,6	8 600	7 500			26,0
27,4	78,3	79,1	8 500	7 400	6 500		27,4
28,0	78,2	78,9	8 400	7 400	6 500		28,0
29,0	77,0	78,6	8 300	7 400	6 500	5 400	29,0
30,0	76,7	78,2	8 300	7 300	6 500	5 400	30,0
32,0	75,2	77,4	8 100	7 200	6 400	5 400	32,0
36,0	72,1	75,7	7 600	7 000	6 300	5 400	36,0
40,0	68,9	73,7	7 100	6 800	6 200	5 400	40,0
44,0	65,6	71,4	6 700	6 500	6 000	5 400	44,0
48,0	62,2	68,8	6 300	6 200	5 900	5 400	48,0
52,0	58,7	65,8	5 900	5 800	5 700	5 300	52,0
56,0	55,0	62,4	5 600	5 500	5 500	5 200	56,0
60,0	51,0	58,6	5 300	5 300	5 200	5 100	60,0
64,0	46,8	54,1	5 100	5 100	4 800	4 500	64,0
68,0	42,1	48,8	4 500	4 200	4 000	3 800	68,0
70,1	39,4	45,7	4 100	3 800	3 600	3 400	70,1
72,0							72,0
76,0							76,0
76,2							76,2
79,3							79,3

MLC250 S-2




83 730 kg
+
19 960 kg




	 5°							 15°							
															
															
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m		
16,8	80,6	86,5	10 500											16,8	
18,0	79,7	86,3	10 400											18,0	
18,3	78,9	86,2	10 400	7 900										18,3	
19,8	78,1	85,9	10 300	7 900	6 300									19,8	
20,0	78,3	85,9	10 200	7 900	6 300									20,0	
21,3	76,7	85,6	10 100	7 800	6 300	5 200	80,3	85,2	10 000					21,3	
22,0	77,0	85,4	10 100	7 800	6 300	5 200	79,9	85,0	10 000					22,0	
22,9	75,6	85,2	10 000	7 800	6 200	5 200	78,6	84,8	9 900	7 900				22,9	
24,0	75,6	84,9	9 900	7 800	6 200	5 200	78,5	84,5	9 800	7 900				24,0	
24,4	74,8	84,8	9 800	7 800	6 200	5 200	77,8	84,4	9 700	7 900	6 300			24,4	
25,9	74,1	84,4	9 700	7 700	6 200	5 100	77,1	83,9	9 500	7 900	6 300	5 200		25,9	
26,0	74,2	84,3	9 700	7 700	6 200	5 100	77,1	83,9	9 500	7 900	6 300	5 200		26,0	
27,4	72,6	83,9	9 500	7 700	6 200	5 100	75,6	83,5	9 400	7 900	6 300	5 200		27,4	
28,0	72,8	83,7	9 400	7 700	6 200	5 100	75,7	83,3	9 400	7 900	6 300	5 200		28,0	
29,0	71,5	83,4	9 300	7 700	6 200	5 100	74,5	83,0	9 300	7 900	6 300	5 200		29,0	
30,0	71,4	83,1	9 200	7 600	6 100	5 100	74,3	82,6	9 200	7 800	6 300	5 200		30,0	
32,0	69,9	82,3	9 000	7 600	6 100	5 100	72,8	81,9	9 000	7 800	6 300	5 200		32,0	
36,0	67,0	80,7	8 700	7 500	6 100	5 000	69,9	80,2	8 600	7 500	6 300	5 200		36,0	
40,0	64,1	78,8	8 300	7 400	6 000	5 000	66,9	78,4	8 300	7 300	6 300	5 200		40,0	
44,0	61,0	76,7	8 000	7 300	6 000	5 000	63,9	76,2	8 000	7 000	6 300	5 200		44,0	
48,0	57,9	74,3	7 700	7 100	5 900	5 000	60,7	73,8	7 600	6 800	6 100	5 200		48,0	
52,0	54,6	71,5	7 400	6 800	5 900	4 900	57,4	71,0	7 400	6 600	5 900	5 200		52,0	
56,0	51,2	68,4	6 500	6 100	5 700	4 900	54,0	67,9	6 900	6 400	5 800	5 200		56,0	
60,0	47,7	64,9	5 500	5 100	4 800	4 500	50,4	64,4	5 800	5 500	5 200	4 800		60,0	
64,0	43,9	61,0	4 600	4 300	4 000	3 700	46,6	60,3	4 900	4 600	4 300	4 000		64,0	
68,0	39,8	56,4	3 800	3 600	3 300	3 100	42,4	55,7	4 100	3 800	3 600	3 300		68,0	
71,6	35,4	51,5	3 200	3 000	2 800	2 600	37,5	50,8	3 400	3 200	3 000	2 800		71,6	
72,0	35,3	51,1	3 100	2 900	2 700	2 500	37,9	50,3	3 400	3 100	2 900	2 700		72,0	
76,0	30,3	44,7	2 500	2 300	2 200	2 000	32,8	43,8	2 700	2 500	2 300	2 100		76,0	
77,7	27,4	41,3	2 300	2 100	1 900	1 800	29,4	40,4	2 400	2 200	2 100	1 900		77,7	
79,3	25,1	38,2	2 000	1 900			27,9	37,4	2 200	2 000	1 900			79,3	
80,0	24,3	36,7	1 900											80,0	
80,8	23,0	34,9	1 800											80,8	

MLC250 S-2




83 730 kg
+
19 960 kg



25°							
			0° 	1° 	2° 	3° 	
m	°	m	kg	kg	kg	kg	m
16,8							16,8
18,0							18,0
18,3							18,3
19,8							19,8
20,0							20,0
21,3							21,3
22,0							22,0
22,9							22,9
24,0							24,0
24,4							24,4
25,9	80,1	82,8	8 600				25,9
26,0	80,1	82,8	8 600				26,0
27,4	78,6	82,3	8 500	7 500			27,4
28,0	78,6	82,1	8 500	7 400			28,0
29,0	77,5	81,8	8 400	7 400	6 400	5 300	29,0
30,0	77,2	81,4	8 300	7 300	6 400	5 300	30,0
32,0	75,7	80,7	8 200	7 200	6 400	5 300	32,0
36,0	72,8	79,0	7 800	7 000	6 300	5 300	36,0
40,0	69,7	77,1	7 200	6 800	6 200	5 300	40,0
44,0	66,6	74,9	6 800	6 600	6 000	5 300	44,0
48,0	63,4	72,4	6 400	6 300	5 900	5 300	48,0
52,0	60,1	69,6	6 000	5 900	5 800	5 300	52,0
56,0	56,6	66,4	5 700	5 600	5 600	5 200	56,0
60,0	52,9	62,8	5 500	5 400	5 300	5 100	60,0
64,0	48,9	58,7	5 200	4 900	4 600	4 300	64,0
68,0	44,7	53,9	4 300	4 100	3 800	3 600	68,0
71,6	40,4	48,9	3 600	3 400	3 200	2 900	71,6
72,0							72,0
76,0							76,0
77,7							77,7
79,3							79,3
80,0							80,0
80,8							80,8


MLC250 S-2



83 730 kg
+
19 960 kg







360°





64,0 m



24,4 m


	 5°							 15°							
	 m	 °	 m					 °	 m						
				 kg	 kg	 kg	 kg			 kg	 kg	 kg	 kg	 kg	
16,8	80,9	89,6	10 500						80,7	88,3	10 100				16,8
18,0	80,1	89,4	10 300						80,2	88,1	10 000				18,0
18,3	79,7	89,3	10 300	7 900					79,1	87,9	9 900	7 800			18,3
19,8	78,2	89,0	10 200	7 800	6 300				78,9	87,6	9 800	7 800			19,8
20,0	78,8	89,0	10 200	7 800	6 300				77,8	87,5	9 700	7 800			20,0
21,3	77,4	88,7	10 100	7 800	6 200	5 100			80,7	88,3	10 100				21,3
22,0	77,4	88,6	10 000	7 800	6 200	5 100			80,2	88,1	10 000				22,0
22,9	76,6	88,3	9 900	7 800	6 200	5 100			79,1	87,9	9 900	7 800			22,9
24,0	76,1	88,1	9 800	7 700	6 200	5 100			78,9	87,6	9 800	7 800			24,0
24,4	75,6	88,0	9 800	7 700	6 200	5 100			77,8	87,5	9 700	7 800	6 300		24,4
25,9	74,1	87,5	9 600	7 700	6 200	5 100			77,1	87,1	9 600	7 800	6 300	5 200	25,9
26,0	74,7	87,5	9 600	7 700	6 200	5 100			77,6	87,1	9 600	7 800	6 300	5 200	26,0
27,4	73,3	87,1	9 500	7 600	6 100	5 100			76,3	86,7	9 500	7 800	6 200	5 200	27,4
28,0	73,4	86,9	9 400	7 600	6 100	5 100			76,2	86,5	9 400	7 800	6 200	5 200	28,0
29,0	72,5	86,6	9 300	7 600	6 100	5 100			75,0	86,2	9 300	7 800	6 200	5 200	29,0
30,0	72,0	86,3	9 200	7 600	6 100	5 100			74,8	85,8	9 200	7 800	6 200	5 200	30,0
30,5	71,5	86,1	9 200	7 600	6 100	5 100			73,8	85,7	9 200	7 800	6 200	5 200	30,5
32,0	70,7	85,6	9 000	7 500	6 100	5 000			73,4	85,1	9 000	7 800	6 200	5 200	32,0
36,0	67,9	84,0	8 700	7 400	6 000	5 000			70,6	83,6	8 700	7 600	6 200	5 200	36,0
40,0	65,0	82,2	8 300	7 400	6 000	5 000			67,8	81,8	8 300	7 300	6 200	5 200	40,0
44,0	62,1	80,2	8 000	7 300	5 900	5 000			64,9	79,7	8 000	7 100	6 200	5 200	44,0
48,0	59,1	77,9	7 700	7 200	5 900	4 900			61,8	77,4	7 700	6 900	6 200	5 200	48,0
52,0	56,0	75,3	7 400	6 900	5 800	4 900			58,7	74,7	7 500	6 700	6 000	5 200	52,0
56,0	52,8	72,3	6 300	5 800	5 400	4 900			55,5	71,8	6 700	6 300	5 800	5 200	56,0
60,0	49,5	69,0	5 200	4 900	4 500	4 200			52,1	68,5	5 600	5 300	4 900	4 600	60,0
64,0	45,9	65,3	4 400	4 100	3 800	3 500			48,5	64,7	4 700	4 400	4 100	3 800	64,0
68,0	42,1	61,1	3 600	3 300	3 100	2 800			44,7	60,4	3 900	3 600	3 300	3 100	68,0
72,0	38,1	56,2	2 900	2 700	2 400	2 200			40,6	55,5	3 100	2 900	2 700	2 500	72,0
74,7	34,7	52,4	2 500	2 300	2 100	1 900			37,3	51,7	2 700	2 500	2 300	2 100	74,7
76,0	33,6	50,6	2 300	2 100	1 900				36,0	49,8	2 500	2 300	2 100	1 900	76,0
76,2	32,8	50,2	2 200	2 100	1 900				35,7	49,4	2 400	2 300	2 100	1 900	76,2
77,7	30,9	47,7	2 000	1 800					33,4	46,8	2 200	2 000	1 800		77,7
79,3	29,5	45,1	1 800						31,8	44,2	2 000	1 800			79,3

MLC250 S-2










25°							
 m	 °	 m	 0° kg	 1° kg	 2° kg	 3° kg	 m
16,8							16,8
18,0							18,0
18,3							18,3
19,8							19,8
20,0							20,0
21,3							21,3
22,0							22,0
22,9							22,9
24,0							24,0
24,4							24,4
25,9	80,5	85,9	8 600				25,9
26,0	80,4	85,9	8 600				26,0
27,4	79,3	85,5	8 500	7 400			27,4
28,0	79,0	85,3	8 500	7 400			28,0
29,0	78,0	85,0	8 400	7 400	6 400		29,0
30,0	77,7	84,6	8 300	7 300	6 400		30,0
30,5	76,8	84,5	8 300	7 300	6 400	5 300	30,5
32,0	76,3	83,9	8 200	7 200	6 400	5 300	32,0
36,0	73,4	82,3	7 900	7 100	6 300	5 300	36,0
40,0	70,5	80,5	7 400	6 900	6 200	5 300	40,0
44,0	67,5	78,4	6 900	6 700	6 100	5 300	44,0
48,0	64,5	76,0	6 500	6 400	5 900	5 300	48,0
52,0	61,3	73,4	6 200	6 100	5 800	5 300	52,0
56,0	58,0	70,4	5 800	5 800	5 700	5 300	56,0
60,0	54,5	67,0	5 600	5 500	5 300	4 900	60,0
64,0	50,9	63,1	5 000	4 700	4 400	4 100	64,0
68,0	46,9	58,7	4 100	3 900	3 600	3 300	68,0
72,0	42,7	53,7	3 400	3 100	2 900	2 700	72,0
74,7	39,6	49,8	2 900	2 700	2 500	2 200	74,7
76,0							76,0
76,2							76,2
77,7							77,7
79,3							79,3

MLC250 S-2






83 730 kg
+
19 960 kg





	 5°							 15°							
	 m	 °	 m					 °	 m					 m	
				 kg	 kg	 kg	 kg			 kg	 kg	 kg	 kg		
18,3	80,2	92,4	10 200											18,3	
19,8	79,1	92,1	10 100	7 700										19,8	
20,0	79,1	92,1	10 100	7 700										20,0	
21,3	77,7	91,8	10 000	7 700	6 200			81,0	91,4	10 100				21,3	
22,0	77,9	91,7	10 000	7 700	6 200			80,6	91,2	10 000				22,0	
22,9	76,6	91,5	9 900	7 700	6 100	5 100		79,6	91,0	9 900				22,9	
24,0	76,6	91,2	9 800	7 700	6 100	5 100		79,3	90,8	9 800				24,0	
24,4	75,8	91,1	9 800	7 700	6 100	5 100		78,6	90,7	9 800	7 800			24,4	
25,9	75,1	90,7	9 600	7 600	6 100	5 000		77,1	90,3	9 600	7 700	6 200		25,9	
26,0	75,3	90,7	9 600	7 600	6 100	5 000		78,0	90,2	9 600	7 700	6 200		26,0	
27,4	73,6	90,3	9 500	7 600	6 100	5 000		76,3	89,8	9 500	7 700	6 200	5 100	27,4	
28,0	74,0	90,1	9 400	7 600	6 100	5 000		76,7	89,7	9 400	7 700	6 200	5 100	28,0	
29,0	72,5	89,8	9 300	7 500	6 000	5 000		75,5	89,4	9 300	7 700	6 200	5 100	29,0	
30,0	72,7	89,5	9 200	7 500	6 000	5 000		75,3	89,0	9 200	7 700	6 200	5 100	30,0	
30,5	71,8	89,3	9 200	7 500	6 000	5 000		74,8	88,9	9 200	7 700	6 200	5 100	30,5	
32,0	71,3	88,8	9 000	7 500	6 000	5 000		74,0	88,4	9 100	7 700	6 200	5 100	32,0	
36,0	68,7	87,3	8 700	7 400	6 000	5 000		71,3	86,8	8 700	7 600	6 200	5 100	36,0	
40,0	65,9	85,6	8 400	7 300	5 900	4 900		68,6	85,1	8 400	7 400	6 200	5 100	40,0	
44,0	63,1	83,6	8 000	7 200	5 900	4 900		65,8	83,1	8 100	7 100	6 200	5 100	44,0	
48,0	60,3	81,4	7 700	7 200	5 800	4 900		62,9	80,9	7 800	6 900	6 200	5 100	48,0	
52,0	57,3	78,9	7 200	6 700	5 800	4 900		59,9	78,4	7 500	6 700	6 000	5 100	52,0	
56,0	54,3	76,2	6 000	5 600	5 200	4 700		56,9	75,6	6 500	6 100	5 600	5 100	56,0	
60,0	51,1	73,0	5 000	4 700	4 300	4 000		53,7	72,5	5 400	5 100	4 700	4 300	60,0	
64,0	47,8	69,5	4 100	3 800	3 500	3 200		50,3	69,0	4 500	4 200	3 900	3 500	64,0	
68,0	44,2	65,6	3 400	3 100	2 800	2 600		46,7	65,0	3 700	3 400	3 100	2 900	68,0	
72,0	40,5	61,1	2 700	2 400	2 200	2 000		42,9	60,4	3 000	2 700	2 500	2 200	72,0	
73,2	38,9	59,6	2 500	2 300	2 000	1 800		40,9	58,9	2 800	2 500	2 300	2 100	73,2	
74,7	37,3	57,7	2 300	2 100	1 800			39,3	56,9	2 500	2 300	2 100	1 900	74,7	
76,0	36,4	56,0	2 100	1 900				38,8	55,2	2 300	2 100	1 900		76,0	
76,2	35,8	55,7	2 000	1 800				37,8	54,9	2 300	2 100	1 800		76,2	
77,7	34,5	53,5	1 800					36,4	52,6	2 000	1 800			77,7	
79,3								35,1	50,3	1 800				79,3	

MLC250 S-2




	 25°						
							
			0°  kg	1°  kg	2°  kg	3°  kg	
m	°	m					m
18,3							18,3
19,8							19,8
20,0							20,0
21,3							21,3
22,0							22,0
22,9							22,9
24,0							24,0
24,4							24,4
25,9	80,8	89,1	8 600				25,9
26,0	80,8	89,1	8 600				26,0
27,4	79,3	88,6	8 500	7 500			27,4
28,0	79,4	88,5	8 500	7 400			28,0
29,0	78,5	88,2	8 400	7 400	6 300		29,0
30,0	78,1	87,8	8 400	7 300	6 300		30,0
30,5	77,5	87,7	8 300	7 300	6 300	5 200	30,5
32,0	76,7	87,2	8 200	7 200	6 300	5 200	32,0
36,0	74,0	85,6	8 000	7 100	6 300	5 200	36,0
40,0	71,2	83,9	7 500	6 900	6 200	5 200	40,0
44,0	68,4	81,9	7 000	6 700	6 100	5 200	44,0
48,0	65,4	79,6	6 600	6 500	5 900	5 200	48,0
52,0	62,4	77,1	6 300	6 200	5 800	5 200	52,0
56,0	59,3	74,2	6 000	5 900	5 700	5 200	56,0
60,0	56,0	71,0	5 700	5 400	5 100	4 700	60,0
64,0	52,6	67,4	4 900	4 500	4 200	3 900	64,0
68,0	48,9	63,3	4 000	3 700	3 400	3 100	68,0
72,0	45,0	58,6	3 200	2 900	2 700	2 500	72,0
73,2	43,6	57,1	3 000	2 800	2 500	2 300	73,2
74,7	41,7	55,0	2 700	2 500	2 300	2 100	74,7
76,0	40,7	53,2	2 500	2 300	2 100	1 900	76,0
76,2	40,5	52,9	2 500	2 200	2 000	1 800	76,2
77,7							77,7
79,3							79,3

MLC250 S-2









83 730 kg
+
19 960 kg




70,1 m






24,4 m


	 5°							 15°							
	 m	 °	 m					 °	 m						
				 0° kg	 1° kg	 2° kg	 3° kg			 0° kg	 1° kg	 2° kg	 3° kg		
18,3	80,6	95,5	10 200					80,4	94,2	9 900				18,3	
19,8	79,1	95,3	10 100	7 700				79,6	93,9	9 800				19,8	
20,0	79,5	95,2	10 100	7 700				78,8	93,8	9 800				20,0	
21,3	78,4	95,0	10 000	7 700	6 100			78,1	93,4	9 600	7 700			21,3	
22,0	78,3	94,8	9 900	7 600	6 100			78,4	93,4	9 600	7 700			22,0	
22,9	77,6	94,6	9 900	7 600	6 100	5 000		80,4	94,2	9 900				22,9	
24,0	77,0	94,4	9 800	7 600	6 100	5 000	79,6	93,9	9 800					24,0	
24,4	76,6	94,2	9 700	7 600	6 100	5 000	78,8	93,8	9 800		7 700			24,4	
25,9	75,1	93,9	9 600	7 500	6 100	5 000	78,1	93,4	9 600		7 700	6 200		25,9	
26,0	75,8	93,8	9 600	7 500	6 100	5 000	78,4	93,4	9 600		7 700	6 200		26,0	
27,4	74,3	93,5	9 500	7 500	6 000	5 000	77,3	93,0	9 500	7 700		6 100	5 100	27,4	
28,0	74,5	93,3	9 400	7 500	6 000	5 000	77,1	92,8	9 400	7 700		6 100	5 100	28,0	
29,0	73,5	93,0	9 300	7 500	6 000	5 000	76,0	92,5	9 400	7 700		6 100	5 100	29,0	
30,0	73,2	92,7	9 200	7 500	6 000	5 000	75,8	92,2	9 300	7 700		6 100	5 100	30,0	
30,5	72,5	92,5	9 200	7 500	6 000	5 000	74,8	92,1	9 200	7 700		6 100	5 100	30,5	
32,0	72,0	92,0	9 000	7 400	6 000	5 000	74,6	91,6	9 100	7 600		6 100	5 100	32,0	
36,0	69,4	90,6	8 700	7 300	5 900	4 900	72,0	90,1	8 800	7 600		6 100	5 100	36,0	
40,0	66,8	88,9	8 400	7 300	5 900	4 900	69,3	88,5	8 500	7 400		6 100	5 100	40,0	
44,0	64,1	87,1	8 000	7 200	5 800	4 900	66,6	86,6	8 200	7 200		6 100	5 100	44,0	
48,0	61,3	84,9	7 800	7 100	5 800	4 800	63,9	84,4	7 900	7 000		6 100	5 100	48,0	
52,0	58,5	82,6	6 900	6 400	5 700	4 800	61,0	82,0	7 500	6 700		6 100	5 100	52,0	
56,0	55,6	79,9	5 800	5 300	4 900	4 500	58,1	79,4	6 300	5 800		5 300	4 900	56,0	
60,0	52,6	76,9	4 800	4 400	4 000	3 600	55,1	76,4	5 200	4 800		4 400	4 000	60,0	
64,0	49,4	73,6	3 900	3 500	3 200	2 900	51,9	73,1	4 300	3 900		3 600	3 300	64,0	
68,0	46,1	69,9	3 100	2 800	2 500	2 300	48,6	69,3	3 400	3 100		2 800	2 600	68,0	
70,1	43,9	67,7	2 700	2 500	2 200	1 900	46,4	67,1	3 000	2 800		2 500	2 200	70,1	
71,6	42,4	66,1	2 500	2 200	2 000		45,3	65,5	2 800	2 500		2 200	2 000	71,6	
72,0	42,6	65,8	2 400	2 200			45,0	65,1	2 700	2 400		2 200	1 900	72,0	
73,2	41,1	64,4	2 200	2 000			43,9	63,7	2 500	2 300		2 000	1 800	73,2	
74,7	40,1	62,7	2 000				42,3	61,9	2 300	2 000		1 800		74,7	
76,0							41,2	60,3	2 000	1 800				76,0	
76,2							40,8	60,0	2 000	1 800				76,2	
77,7							39,5	58,0	1 800					77,7	

MLC250 S-2




	 25°							
	 m	 °	 m					
				 0° kg	 1° kg	 2° kg		 3° kg
18,3							18,3	
19,8							19,8	
20,0							20,0	
21,3							21,3	
22,0							22,0	
22,9							22,9	
24,0							24,0	
24,4							24,4	
25,9							25,9	
26,0							26,0	
27,4	80,2	91,8	8 600				27,4	
28,0	79,8	91,6	8 500				28,0	
29,0	78,5	91,3	8 500	7 400			29,0	
30,0	78,5	91,0	8 400	7 300			30,0	
30,5	77,8	90,9	8 400	7 300	6 300		30,5	
32,0	77,2	90,4	8 300	7 300	6 300	5 200	32,0	
36,0	74,6	88,9	8 000	7 100	6 300	5 200	36,0	
40,0	71,9	87,2	7 600	6 900	6 200	5 200	40,0	
44,0	69,2	85,3	7 200	6 800	6 100	5 200	44,0	
48,0	66,3	83,1	6 800	6 600	6 000	5 200	48,0	
52,0	63,5	80,7	6 400	6 300	5 900	5 200	52,0	
56,0	60,5	78,0	6 100	6 000	5 700	5 200	56,0	
60,0	57,4	74,9	5 600	5 200	4 800	4 400	60,0	
64,0	54,1	71,5	4 600	4 300	3 900	3 600	64,0	
68,0	50,7	67,7	3 800	3 400	3 100	2 900	68,0	
70,1	48,4	65,4	3 300	3 100	2 800	2 500	70,1	
71,6	47,3	63,8	3 000	2 800	2 500	2 300	71,6	
72,0	47,1	63,4	3 000	2 700	2 400	2 200	72,0	
73,2	45,9	61,9	2 800	2 500	2 300	2 000	73,2	
74,7	44,3	60,1	2 500	2 300	2 000	1 800	74,7	
76,0	43,2	58,4	2 300	2 000	1 800		76,0	
76,2	42,8	58,1	2 200	2 000	1 800		76,2	
77,7	41,4	56,1	2 000				77,7	

MLC250 S-2




83 730 kg
+
19 960 kg



	5°			15°			
	m	°	m	kg	°	m	kg
18,3	80,9	98,6	10 200			18,3	
20,0	79,8	98,3	10 000			20,0	
22,0	78,6	97,9	9 900			22,0	
22,9	77,6	97,7	9 800	80,7	97,3	22,9	9 900
24,0	77,4	97,5	9 700	80,0	97,0	24,0	9 800
26,0	76,2	97,0	9 700	78,8	96,5	26,0	9 600
27,4	74,6	96,6	9 500	77,3	96,2	27,4	9 500
28,0	75,0	96,5	9 400	77,5	96,0	28,0	9 500
30,0	73,8	95,9	9 200	76,3	95,4	30,0	9 300
32,0	72,5	95,3	9 100	75,1	94,8	32,0	9 100
36,0	70,1	93,9	8 700	72,6	93,4	36,0	8 800
40,0	67,5	92,3	8 400	70,0	91,8	40,0	8 500
44,0	64,9	90,4	8 100	67,4	90,0	44,0	8 300
48,0	62,3	88,4	7 800	64,8	87,9	48,0	8 000
52,0	59,6	86,1	6 700	62,1	85,6	52,0	7 300
56,0	56,8	83,6	5 600	59,3	83,1	56,0	6 100
60,0	54,0	80,8	4 500	56,4	80,2	60,0	5 000
64,0	51,0	77,6	3 600	53,4	77,1	64,0	4 100
68,0	47,8	74,1	2 900	50,2	73,5	68,0	3 200
72,0	44,6	70,2	2 200	46,9	69,6	72,0	2 500
73,2	43,6	69,0	2 000	45,1	68,3	73,2	2 300
76,0				43,4	65,1	76,0	1 800
76,2				43,2	64,9	76,2	1 800
77,7						77,7	

MLC250 S-2



25°				
0°				
m	°	m	kg	m
18,3				18,3
20,0				20,0
22,0				22,0
22,9				22,9
24,0				24,0
26,0				26,0
27,4	80,5	95,0	8 600	27,4
28,0	80,1	94,8	8 500	28,0
30,0	78,9	94,2	8 400	30,0
32,0	77,6	93,6	8 300	32,0
36,0	75,1	92,1	8 000	36,0
40,0	72,5	90,5	7 700	40,0
44,0	69,9	88,7	7 300	44,0
48,0	67,2	86,6	6 900	48,0
52,0	64,4	84,3	6 500	52,0
56,0	61,6	81,7	6 200	56,0
60,0	58,6	78,8	5 400	60,0
64,0	55,6	75,6	4 500	64,0
68,0	52,3	71,9	3 600	68,0
72,0	48,9	67,9	2 800	72,0
73,2	47,1	66,6	2 600	73,2
76,0	45,3	63,3	2 100	76,0
76,2	44,8	63,1	2 100	76,2
77,7	43,7	61,2	1 800	77,7